

AAMJIWNAANG FIRST NATION

Notification Report

June 2017

Wilson Plain Jr. – Emergency Management Planner
July 6, 2017

Report of notifications received from local industries, CVECO, Ministry of the Environment and Climate Change (MOECC) and MyCNN notification system

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

Emergencies or Incidents reported for the month of June 2017.

- 52 notifications were received
- No phone calls, no text messages, 4 emails and 37 CVECO notifications were received
- 11 CVECO 'Codes' were issued. 26 CVECO 'Information Notices' were issued.
- 10 Aamjiwnaang Notifications were sent out (**ANS or FB**)

Ministry of the Environment and Climate Change (MOECC) Information/Update emails received: 11

Community Inquiries: No inquiries were received from community members regarding incidents near Aamjiwnaang.

Date	Time of Issue	Time of All Clear	Company	Type of Notice	Description Received	Follow-Up (if required)	ANS or FB
June 1	8:38 am		Shell	Email Update from K. Zimmer	The Emergency Operations Centre & Incident Command at the Shell Manufacturing Centre has stood down as of 8:00 am today (Thursday, June 1). The product transfer from the impacted tank continues at this time. The St. Clair Township Fire command unit, which has been at Shell since the incident began May 28, has now left the site. We sincerely appreciate the mutual aid we received from St. Clair Township, and we also appreciate the patience of the surrounding communities as we work to resolve this issue. The CVECO foam trailer remains at Shell, and the Code 91 is in place for this reason. A Code 8 also remains in effect. I will update you when further information becomes available. As always, I can be contacted at 519-330-4723. Thanks, Kristina Zimmer		FB
June 1	10:17 am	5:15 pm	Suncor	CVECO Information Notice	Suncor Energy advised that this morning/afternoon they will be conducting on site fire training at the Suncor Sarnia Refinery.		
June 2	2:27 pm	4:39 pm	Imperial Oil	CVECO Information Notice	Imperial Oil has issued an information notice only for elevated flaring effective June 2, 2017 at 1:46p.m.		ANS
June 3	1:04 am	6:24 am	CF Industries	CVECO Information Notice	CF INDUSTRIES COURTRIGHT HAVING SCHEDULED SHUT DOWN OF NITRIC UNIT WITH LOUD NOISE POSSIBLE		
June 3	4:18 am	11:25 am	NOVA St Clair	CVECO Code 8	Code 8 was issued for Nova Saint Clair at 285 Albert Street. Emergency sirens going off on site. They are currently investigating why. Update. Code 8 was issued for Nova Saint Clair at 285 Albert Street. Emergency sirens going off on site due to a computer problem in their main powerhouse.		
June 4	12:04 am		Shell Canada	MOECC (SAC) Information Email >>>	MOECC Reference Number: 7876-AMZ65K Date and Time that the incident occurred: 2017/06/03 23:30 Date and Time reported to the MOECC: 2017/06/03 23:30		

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>Company name (if known) and location of incident: Shell - 150 St Clair Pkwy. What has occurred? Odour complaint What action is being taken? Shell made aware of complaint. Other agencies involved (if known): n/a Updates expected: No</p>		
June 5	6:14 am		Shell Canada	<p>MOECC Update Information Email >>></p>	<p>Update Information E-mail for Aamjiwnaang First Nation – Shell Canada - Odour Complaints and Storage Tank Leak</p> <p>MOECC Reference Number: 707-AMSNBK Date and Time that the incident occurred: May 28, 2017 @ 1:15 pm Date and Time reported to the MOECC: May 28, 2017 @ 1:19 pm Company name (if known) and location of incident: Shell Canada – 150 St. Clair Parkway What has occurred? This update is for an event that occurred on May 28, 2017. A resident called the ministry’s Spills Action Centre (SAC) at approximately 1:19 pm to report a strong benzene/chemical odour. The resident noted the winds were from the south. SAC dispatched the ministry’s after-hours Environmental Response Person and the Environmental Officer was on site at approximately 2:45 pm. At approximately 3:52 pm a second resident called the Spills Action Centre to report an odour. At approximately 4:30 pm, Shell staff discovered an issue with a storage tank roof that contains crude oil and gasoline. What action is being taken? The Spills Action Centre contacted Shell at approximately 1:24 pm to make the company aware of a complaint having been received by the ministry. The company was not aware of any operational issues at the time of the complaint that could be contributing to off-site odours. Ministry staff arrived in the area to conduct an odour check at approximately 2:45 pm. The area where the odour had been detected by the complainant was checked, as well as areas along various roads near the Shell facility. The winds were light and shifting direction at the time and no odours were detected during the inspection. Ministry staff discussed the odour complaint with the company. The company checked around their facility with air monitors, for volatile organic compounds, including benzene. The company did not detect benzene or other compounds. The company indicated they would continue to conduct regular air monitoring, with particular attention to their waste water treatment plant as a potential source of odours. While the company was checking areas around their facility, they identified an issue with the floating roof on one of the above ground storage tanks. The company requested assistance from the St. Clair Township fire department at approximately 7:45 pm to apply</p>		FB

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>foam on the roof to suppress any vapours from the tank contents. The company hired a consultant to conduct air quality monitoring around the perimeter of the site.</p> <p>Ministry staff returned to the area at approximately 8:44 pm and conducted an odour check. Ministry staff detected odours at the time of the inspection. Ministry staff gathered additional details from the company on the status of their actions and next steps. Ministry staff requested that the company provide additional information on the tank involved, including the estimated time to empty the tank. The ministry also requested that the results of air quality monitoring being conducted around the perimeter by the company's consulting firm be regularly reported to SAC. Ministry staff confirmed to SAC at approximately 10:07 pm that the foaming of the roof had been completed and that there had been no detection of volatile organic compounds through air quality monitoring. The company reported to SAC at approximately 11:20 pm that they were continuing to monitor the foam blanket and check for odours. There were no odours being detected.</p> <p>The company has started to remove the tank contents and will continue to conduct air quality monitoring to ensure there are no offsite impacts. Emptying of the tank is estimated to take approximately 5 to 7 days. The ministry's regional air monitoring van set up air quality monitoring in the area on May 29, 2017. Ministry staff reviewed the air monitoring data from the Aamjiwnaang First Nation air monitoring station which showed no detection of benzene. Ministry staff met with Shell staff at approximately 11:00 am on May 29, 2017 to discuss the next steps and check the area for odours. No odours were detected. Based on the results of air monitoring and the lack of odours off-site, the foaming of the tank roof appeared to be effective at minimizing emissions. Ministry staff are continuing to monitor the situation as the company implements measures to remove product from the tank to allow for an assessment of the tank and corrective measures required.</p> <p>Other agencies involved (if known): St. Clair Township Fire Department</p> <p>Updates expected: No further updates expected unless conditions change.</p>		
June 5	6:21 am		Plains Midstream	MOECC Update Information Email >>>	<p>Update Information E-mail for Aamjiwnaang First Nation – Plains Midstream Pipeline Spill</p> <p>MOECC Reference Number: 5837-AL7MGM</p> <p>Date and Time that the incident occurred: April 7, 2017 at 12:00 pm</p> <p>Date and Time reported to the MOECC: April 7, 2017 at 12:36 pm</p> <p>Company name (if known) and location of incident: Plains Midstream, 1182 Plank Rd</p>		FB

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>What has occurred? This update is from an event that happened on April 7, 2017. The company called the ministry's Spills Action Centre to report a spill of synthetic crude oil from a pipeline on the company's property. The material was released from a valve and entered an underground drain which flows to a holding pond on the company's property. Winds were from the north at the time of the spill.</p> <p>What action is being taken? The company began air quality monitoring at their fence line using a third-party consultant when the company's internal monitoring detected an issue. Air quality monitoring continued every hour as the company used vacuum trucks and oil skimmers to remove the oil from the pond. Offsite ambient air samples collected upwind and downwind showed no elevated readings. The monitoring continued every 4 hours and then every 8 hours on April 9 and April 10, 2017. No odours were detected during that time. Ministry staff inspected the site at approximately 2:15 pm on April 7, 2017 to gather details of the spill, including the company's air monitoring plans and clean-up plans. Ministry staff detected slight intermittent hydrocarbon odours at the road beyond the company's fenceline. The ministry and the company did not receive any odour complaints. Ministry staff contacted Health Canada and Aamjiwnaang First Nation to inform them of the spill. The company undertook actions to remove the oil that had entered the holding pond and to remove impacted soil and vegetation. Ministry staff received a preliminary report from the company on April 20, 2017. The ministry is reviewing the report to determine the appropriate follow-up compliance action.</p> <p>Other agencies involved (if known): None</p> <p>Updates expected: No further updates.</p>		
June 5	10:41 am	5:40 pm	Suncor	CVECO Information Notice	Suncor at 1900 saint clair parkway issuing an information for fire training. As a result, there will be movement of fire trucks and use of high pressure water. Training expected to be complete by 16:00 today.		
June 6	7:20 am			MOECC Update Information Email >>>	<p>MOECC Reference Number: 7876-AMZ65K</p> <p>Date and Time that the incident occurred: 2017/06/03 at 11:30 pm</p> <p>Date and Time reported to the MOECC: 2017/06/03 at 11:30 pm</p> <p>Company name (if known) and location of incident: Shell – 150 St Clair Pkwy</p> <p>What has occurred? This is an update to an odour complaint received by the ministry's Spills Action Centre on June 3, 2017 at 11:30 pm. The ministry received an odour complaint suspected to be related to ongoing abatement by the company</p>		FB

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>to remove crude from a tank roof which resulted from a tank malfunction identified by Shell on May 28, 2017.</p> <p>What action was taken?</p> <p>In response to the complaint, the Spills Action Centre contacted Shell at 11:45 pm to notify the company of the complaint. Shell indicated that there was ongoing work on-site related to the crude tank that had an issue with its roof. Shell informed SAC that the company and a third party have been conducting continuous air monitoring and have not had any readings and have not noted any odours. Shell contacted their third party air monitoring company and initiated Tedlar bag air sampling in response to the complaint.</p> <p>Ministry staff identified that Shell had detected odour at approximately 11:15 pm during perimeter checks. The company suspected that the odour may have been related to the tank foaming activities being undertaken at that time.</p> <p>Ministry staff attended the Shell facility on June 4, 2017 at approximately 9:00 am and conducted a perimeter odour check. The ministry identified slight intermittent odours along LaSalle Line and followed up with the original resident that reported the odour. The resident indicated that they could no longer smell the odours from the previous night.</p> <p>Ministry staff went on to the company's site and reviewed results of air monitoring records. The review did not identify any detections of contaminants on or off site. Ministry staff reviewed the foaming application records to ensure that abatement activities were being appropriately undertaken and documented. Foaming and inspections were being conducted as required. Ministry staff conducted an odour check around the perimeter of the tank and detected a slight odour downwind of the tank on the company's property.</p> <p>The company is continuing with its perimeter checks for odour and air quality and continues with emptying of the tank contents. Emptying of the tank is anticipated to be completed early this week. Ministry staff will continue to monitor the situation and are continuing to assess the situation involving the tank roof malfunction to determine the appropriate follow-up compliance action.</p> <p>Other agencies involved (if known): n/a</p> <p>Updates expected: No</p>		
June 6	9:45 am	???	NOVA St Clair	CVECO Information Notice	NOVA ST CLAIR SITE DOING EMERGENCY EVACUATION DRILL TODAY		ANS
June 6	4:57 pm		Shell Canada	Email Update	This is an email update regarding the May 28 incident at Shell which involved crude oil on top of a storage tank. Perimeter air monitoring is ongoing, and Pollutech vehicles continue to be visible around the site. We are applying foam to		FB

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>the tank as required as the product transfer continues. We will keep the CAER line updated at 1-855-4SARNIA (472-7642). Please call me at 519-330-4723 if you have any questions.</p> <p>Thanks, Kristina Zimmer External Relations Advisor Shell Sarnia Manufacturing Centre</p>		
June 8	9:45 am		Plains Midstream	MOECC (SAC) Information Email >>>	<p>MOECC Reference number: 4667-AN5HM6 Date and Time that the incident will occur: 2017/06/09, 09:00 Date and Time reported to the MOECC: 2017/06/08, 09:19 Company name (if known) and location of incident: Plains Midstream Canada 1182 Plank Rd, Sarnia What will occur: Planned maintenance for whole facility. Expects unusual flaring from 2017/0/09 to 2017/06/13 What action is being taken? Notification to SAC/MOECC-SR. Monitoring. Other agencies involved (if known): Updates expected: No</p>		
June 8	6:13 pm	6:19 pm	NOVA St Clair	CVECO Code 8	Code 8 issued for Nova Saint Clair for their alarms sounding. They are investigating		
June 8	6:42 pm		Shell Canada	Email from K. Zimmer	<p>This is an update on the tank incident that occurred at Shell May 28. We are making progress in our plan to safely empty the tank, and this process is near completion. Once finished, the tank will be cleaned. Foaming will continue as required.</p> <p>Perimeter air monitoring by Shell and Pollutech is ongoing. Readings show we are within the Ontario's Ministry of Environment and Climate Change limits.</p> <p>We will continue to keep the CAER line updated at 1-855-4SARNIA (472-7642). I can be contacted at 519-330-4723.</p> <p>Thanks Kristina Zimmer</p>		FB
June 9	3:20 pm	1:01 pm July 1	Shell Canada	CVECO Information Notice	SHELL CANADA AT 150 SAINT CLAIR PARKWAY IS ISSUING AN INFORMATION ONLY FOR UNIT SHUT DOWN DUE TO MAINTENANCE WITH POSSIBLE HIGH FLARING.		
June 9	3:30 pm		Shell Canada	MOECC (SAC) Information Email >>>	<p>MOECC Reference Number: 5728-AN6QK6 Date and Time that the incident occurred: 2017/06/09, 15:13 Date and Time reported to the MOECC: 2017/06/09, 15:15 Company name (if known) and location of incident: Shell Canada: 150 St. Clair Pkwy, Sarnia What has occurred? Shutting down 2 units for maintenance. This may cause an increase in flaring over the next one to two days What action is being taken? Other agencies involved (if known): Updates expected: NO</p>		

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

June 11	1:56 am	3:18 am	Arlanxeo	CVECO Code 8	Code 8 being issued at 1265 Vidal street south, Arlanxeo.		
June 12	8:35 am	4:18 pm	NOVA Moore	CVECO Information Notice	NOVA Moore conducting on-site fire training.		
June 12		12:39 pm	Shell Canada	CVECO Information Notice	All Clear on code 8 at Shell Canada from May 28, 2017		
June 12	2:36 pm	4:52 pm	Clean Harbors	CVECO Code 8	Code 8 was issued for clean harbors for fire in the landfill		ANS
June 12	9:58 pm	11:40 pm	CF Industries	CVECO Information Notice	CF INDUSTRIES HAS ISSUED AN INFORMATION ONLY FOR POSSIBLE ODOUR IN THE AIR WITH THEIR NITRIC ACID UNIT START UP EFFECTIVE 10:15P.M. ON JUNE 12, 2017.		
June 13	11:13 am	9:10 pm	CF Industries	CVECO Information Notice	Information Only issued for CYA389 - CF Industries, 161 Bickford Line, Sombra, Ontario for a planned shutdown of their Urea plant.		
June 13	???	1:24 pm	Imperial Oil	CVECO Information Notice	Information cancelled for XJF742 - Imperial Oil, 602 Christina Street South. Ambulance clear from site.		
June 13	9:40 pm	8:34 am June 14	CF Industries	CVECO Information Notice	CF INDUSTRIES NITO COMPLEX HAS A SCHEDULED UNIT START UP IN THE NITIC ACID PLANT POSSIBLE DOR MAY OCCUR		
June 14	10:01 am	4:03 pm	Suncor	CVECO Information Notice	Suncor at 1900 Saint Clair Parkway issuing an information for fire training occurring at their site. There will be use of fire equipment and is expected to be completed by 16:00.		
June 15	10:31 am	11:17 am	Imperial Oil	CVECO Information Notice	INFORMATION ISSUED FOR IMPERIAL OIL FOR A MEDICAL ASSIST.		
June 15	10:35 am		St. Clair County, Michigan, U.S.	Email from C. Gardner	FYI PLEASE NOTE: St. Clair County U.S.A. will be sounding Emergency Sirens this Monday June 19th at 1PM in order to test recent siren reconfiguration. This test is usually done on the first Monday of every month. Our Municipal and Industrial Sirens are tested each Monday at 12:30 noon. Please advise others as individuals may be taken by surprise with this test from the U.S. side. Thanks!! Cal Gardner Community Emergency Management Coordinator (CEMC)		FB
June 15	1:58 pm		NOVA Corunna	CVECO Information Notice	INFORMATION ISSUED FOR NOVA CORUNNA FOR FIRE TRAINING.		

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

June 15	9:27 pm	9:28 pm	Shell Canada	CVECO Information Notice	Shell Canada at 150 Saint Clair Parkway issued an information for chemical plant flare out it has subsequently been cancelled minutes after it was issued.		
June 15	10:05 pm	1:25 am June 16	NOVA Moore	CVECO Information Notice	NOVA MOORE AT 510 MOORE LINE IS ISSUING AN INFORMATION FOR UTILITIES STARTING UP A BOILER AND STEAM VENTING. POSSIBLE NOISE COMING FROM THAT AREA.		
June 15	10:31 pm		Shell Canada	MOECC (SAC) Information Email >>>	<p>MOECC Reference Number: 0206-AND3U7</p> <p>Date and Time that the incident occurred: 2017/06/15 @ 20:25</p> <p>Date and Time reported to the MOECC: 2017/06/15 @ 21:33</p> <p>Company name (if known) and location of incident: Shell Canada, 339 Lasalle Line</p> <p>What has occurred? The flame of the flare stack was extinguished for 42 minutes due to a severe thunderstorm.</p> <p>What action is being taken? MOECC SAC was notified. The flame was restored as of 21:07 with no further issues.</p> <p>Other agencies involved (if known): MOECC SAC</p> <p>Updates expected: No</p>		
June 16	12:16 am		NOVA Moore	MOECC (SAC) Information Email >>>	<p>MOECC Reference Number: 2046-AND6AV</p> <p>Date and Time that the incident occurred: 2017/06/16, 22:52</p> <p>Date and Time reported to the MOECC: 2017/06/16, 23:38</p> <p>Company name (if known) and location of incident: Nova Chemicals, Moore site 510 Moore Line</p> <p>What has occurred? A 71-second release of ethylene.</p> <p>What action is being taken? Spills Action Centre and Sarnia District MOECC office notified.</p> <p>Other agencies involved (if known): No other agencies involved.</p> <p>Updates expected: NO</p>		
June 16	8:23 am	4:05 pm	Suncor	CVECO Information Notice	Suncor Energy has issued an information only, for fire training effective 8:00a.m. June 16, 2017 until 4:00p.m. same day. As a result, you may notice the movement of fire trucks and related equipment, and the use of high pressure fire water. This is all part of normal training exercises.		
June 16	8:51 am	7:38 am June 19	Enbridge Pipelines	CVECO Information Notice	Enbridge Pipelines has issued an information only, effective 8:30a.m. June 16, 2017 for petroleum odours due to maintenance on Tank 208. No action is required.		

Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

June 16	9:23 am	10:11 am	Arlanxeo	CVECO Information Notice	Arlanxeo has issued an information only, effective June 16, 2017 at 9:00a.m. for a small vehicle fire butyl polys unit that has been contained.		
June 19	11:15 am	11:23 am	NOVA St Clair	CVECO Code 8	Nova Saint Clair VCZ562 at 285 Albert Street, Corunna is issuing a code 8 for alarm sounding.		
June 20	9:44 am	11:37 am	Suncor Ethanol	CVECO Code 8	Suncor Saint Clair Ethanol issued an information code 8 for discharge to water.		
June 20	9:53 am	4:24 pm	NOVA Moore	CVECO Information Notice	Nova Moore issued information code for steaming venting and boiler testing. loud noise		
June 20	9:58 am	11:34 am	Suncor Ethanol	CVECO Information Notice	Suncor Saint Clair Ethanol issued information for fire water testing for pressure		
June 21	7:54 am	4:41 pm	NOVA Moore	CVECO Information Notice	Nova Moore site has issued an information only for steam and loud noise, as they conduct boiler testing today, June 21, 2017 starting at 7:45a.m.		
June 21	1:23 pm		Shell Canada	MOECC (SAC) Information Email >>>	<p>MOECC Reference Number: 1466-ANJN52</p> <p>Date and Time that the incident occurred: 2017/06/21 @ 1330h</p> <p>Date and Time reported to the MOECC: 2017/06/21 @ 1308h</p> <p>Company name (if known) and location of incident: Shell Canada: 150 St. Clair Parkway</p> <p>What has occurred? Facility is starting up a boiler unit. There will venting of steam and increased noise during the start-up.</p> <p>What action is being taken? MOECC SAC notified of the procedure.</p> <p>Other agencies involved (if known): None</p> <p>Updates expected: No</p>		
June 22	9:25 pm	4:14 pm	Shell Canada	CVECO Information Notice	SHELL CANADA TRAINING ON THE DOCKS ALL DAY		
June 22	9:28 am	4:12 pm	Suncor	CVECO Information Notice	SUNCOR DOING FIRE TRAINING UNTIL 4PM		
June 22	2:12 pm			MOECC (SAC) Information Email >>>	<p>MOECC Reference Number: 0712-NKNXH</p> <p>Date and Time that the incident occurred: June 22, 2017 - 13:30 hrs</p> <p>Date and Time reported to the MOECC: June 22, 2017 - 13:50 hrs</p> <p>Company name (if known) and location of incident: Shell Canada - 150 St. Clair Parkway</p> <p>What has occurred? Flaring</p> <p>What action is being taken? Company will be conducting maintenance</p> <p>Other agencies involved (if known): Local MOECC Office has been notified</p> <p>Updates expected: NO</p>		

Notification Report - June 2017


Wilson Plain Jr. – Emergency Management Planner

June 22	2:21 pm	6 :21 am June 26	Shell Canada	CVECO Information Notice	SHELL CANADA HAS UNIT UPSET AND POSSIBLE HIGH FLARING AND NOISE		
June 24	2:53 am	3:21 am	Clean Harbors	CVECO Code 8	Code 8 was issued for Clean Harbours VC930 at 4090 Telfer Road in Saint Clair Township, for smoke in hydro carbons.		
June 24	2:39 pm	Code 9 3:23 pm	Clean Harbors	CVECO Code 8 Code 9	Code 8 was issued for clean harbors at 4090 Telfer road for a landfill fire. Update: Code 8 upgraded to Code 9 at 2:45 pm	St. Clair Fire called for assistance	
June 26	12:04 pm	5:16 pm	Enbridge Pipelines	CVECO Information Notice	INFORMATION HAS BEEN ISSUED FOR ENBRIDGE PIPELINES FOR ROUTINE MAINTENANCE. POSSIBLE PETROLEUM ODOUR.		
June 27	6:45 pm	8:01 pm	Imperial Oil	CVECO Information Notice	IMPERIAL OIL HAS VEHICLE SMOKING IN LOT AT GATE 2 FIRE DEPARTMENT SENT		
June 28	4:23 am	4:33 am	NOVA Moore	CVECO Code 8	Code 8 was issued for Nova Moore at 510 Moore line for alarms sounding		
June 28	4:45 am	5:04 am	NOVA Moore	CVECO Code 8	Code 8 issued again for vcw479 Nova Moore at 510 Moore line for alarms sounding		
June 28	10:44 am		Shell Canada	CVECO Information Notice	UPDATE SHELL CANADA AT 150 SAINT CLAIR PARKWAY IS ISSUING AN INFORMATION ONLY FOR UNIT START UP OF THE BTX UNIT.		
June 28	2:48 pm		Imperial Oil	MOECC (SAC) Information Email >>>	<p>MOECC Reference Number: 3781-ANRNJF</p> <p>Date and Time that the incident occurred: 1300h on 06/28/2017</p> <p>Date and Time reported to the MOECC: 1300h on 06/28/2017</p> <p>Company name (if known) and location of incident: Imperial Oil- 602 Christina St, Sarnia</p> <p>What has occurred? A seagull covered in an 'oil like' substance was brought in to the Sarnia Humane Society.</p> <p>What action is being taken? Local MOECC office was notified and Imperial Oil has been notified, as well, who are investigating further and will update SAC. Env. Canada will also be notified. The bird will be cleaned up and sent to a rehabilitation centre.</p> <p>Other agencies involved (if known): Sarnia Humane Society</p> <p>Updates expected: Yes</p>		
June 29	12:56 am	9:06 am	CF Industries	CVECO Information Notice	CF Industries has issued an information for possible smoky stack due to unit shutdown		
June 30	1:37 pm	6:13 pm	CN Rail	CVECO Code 8	Code 8 was issued for CN Rail Yard at 699 McGregor Side Road.		


Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner

Incident Notifications for the Month of June 2017




Proactive Notifications for the Month of June 2017



Notification Report - June 2017

Wilson Plain Jr. – Emergency Management Planner



CVECO Assistance Codes:

CODE 5- Incident outside of industry potentially requiring CVECO assistance.

CODE 6- Full traffic control requested in designated areas.

CODE 7- Bomb threat.

CODE 8- Notification by a CVECO member of an internal emergency occurrence. CVECO will take no action under this code.

Information Notice (Code 8)- Advice by a member of a non-emergency activity that may cause an inquiry.

CODE 9- Request for response by Municipal Fire Department. (Includes Codes 91 and Code 92-Specific Fire Equipment)