

AAMJIWNAANG FIRST NATION

# Notification Report

---

November 2016

**Wilson Plain Jr. – Emergency Management Planner**

**December 5, 2016**

Report of notifications received from local industries, CVECO, Ministry of the Environment and Climate Change (MOECC) and MyCNN notification system

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

Emergencies or Incidents reported for the month of November, **2016**.

- 73 notifications were received
- 2 phone calls, no text messages, 31 emails and 42 CVECO notifications were received
- 6 CVECO 'Codes' were issued (5 Simulations). 36 CVECO 'Information Notices' were issued.
- 21 Information emails were received from MOECC regarding incidents
- 28 Aamjiwnaang Notifications were sent out (**ANS or FB**)

Community Inquiries: 1 phone call was received from community members regarding incidents near Aamjiwnaang.

Date	Time of Issue	Time of All Clear?	Company	Type of Notice	Description Received	ANS or FB ?
Nov 1	7:55 am		Shell	Email from K. Zimmer, Shell	On Tuesday, November 1st, Shell will begin the process of restarting equipment as the fall maintenance turnaround at the Manufacturing Centre in Corunna approaches completion. As a result, there will be increased flaring and the potential for noise for up to three weeks as units are brought back online. This startup has been carefully planned with a focus on safety and with an effort to minimize the impact on neighbours. We will keep the CAER line updated at 1-855-4SARNIA (472-7642). Thanks, Kristina Zimmer Shell Sarnia Manufacturing Centre	<b>FB</b>
Nov 1	9:07 am	7:51 am Nov 2	Enbridge	CVECO Information Notice	Enbridge Pipeline VCO420 at 1010 Plank Road issuing information only for routine maintenance for potential petroleum odors	
Nov 1	9:37 am	10:45 am	NOVA St Clair	CVECO Information Notice	Nova Saint Clair VCZ562 issuing an information only for a simulation for evacuation training.	<b>ANS</b>
Nov 1	10:52 am		Ontario Power	CVECO Code 8	Simulation Code 8 was issued for Ontario Power XOH745. NO FAX SENT <b>Follow-up:</b> Simulation Code 8 was issued for Ontario Power XOH745. FAX sent and advises fire and gas leak. (10:58 am)	
Nov 1	10:30 pm	12:17 pm Code 9	Imperial Oil	CVECO Code 8 Code 9	Code 8 was issued for Imperial oil for an h2s release from their coke structure 10th deck Code 8 was issued for Imperial oil for an h2s release from their coke structure 10th	<b>ANS /FB</b>

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

		3:54 am Nov 2 Code 8		<p>Email from Imperial Oil &gt;&gt;&gt;&gt;</p> <p>Press Release from Imperial Oil &gt;&gt;&gt;&gt;</p> <p>Email from MOECC (SAC) &gt;&gt;&gt;&gt;</p>	<p>deck imperial has now upgraded this code 8 to a code 9 <b>(10:34 pm)</b></p> <p>Imperial personnel are responding to a reported fire at Sarnia Manufacturing Site. Sire emergency warning sirens have been activated. More information will be communicated as it becomes available.</p> <p><b>Imperial personnel extinguish small fire (Tuesday, Nov.1, 2016)</b> – Imperial personnel have extinguished a small fire in an operating unit at Sarnia manufacturing site.</p> <p>The fire occurred at approximately 10:25 p.m. this evening and the site’s emergency warning sirens were activated. All personnel are accounted for. The fire was extinguished at approximately 11:25 p.m. Imperial has notified all appropriate regulatory authorities, including the Ministry of the Environment and Climate Change and City of Sarnia, including the CVECO organization.</p> <p>Monitoring at Imperial’s fence -line shows no impacts to air quality.</p> <p>Members of the public with questions should call Imperial at 519-339-5666, or 519 339-4015. Media should call 5129 339-4015.</p> <p><b>MOECC Reference Number:</b> 1748-AFB5MA  <b>Date and Time:</b> Occurred: Nov 1st 22:55  Reported: Nov 1st 23:05  <b>Company Name (if known) and Location of Incident:</b>  Imperial Oil - coker unit - 602 Christina St  <b>What has occurred?</b> Small fire on coker unit tower  <b>What Action is being taken?</b> Fire was put out  <b>Updates Expected:</b> No</p>	
Nov 2	1:36 pm		Shell	<p>Email from K. Zimmer, Shell</p>	<p>Shell's safety department is presently making arrangements with Sarnia Police for a patrol at Vidal Street South and Lasalle line. I will continue to keep you posted. Thank you for flagging the concerns to me.</p> <p>Kristina Zimmer  External Relations Advisor  Shell Sarnia Manufacturing Centre</p>	
Nov 2	4:10 pm		Shell	<p>Email from K. Zimmer, Shell</p>	<p>Thank you both so much for connecting with me this morning regarding the traffic situation. I would much rather hear the concerns from community members than have frustrating and potentially unsafe matters go unresolved. Shell has made arrangements for Sarnia Police to set up a traffic patrol at Vidal &amp; Lasalle beginning today from 5:30pm – 7:00pm (our turnaround shift change is 6:00pm). We will also continue with the OPP patrol at St. Clair Parkway &amp; Lasalle Line.</p> <p>Please do not hesitate to contact me if there are further issues.</p>	

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

					Thank you, Kristina Zimmer External Relations Advisor Shell Sarnia Manufacturing Centre	
Nov 2	6:19 pm		Imperial Oil	Email from J. Harding, Imperial Oil	<b>Imperial Sarnia coker in the process of restarting (Nov. 2, 2016)</b> – The coker unit at Imperial’s Sarnia manufacturing site is in the process of restarting following unplanned maintenance work. As a result, the plume from the site’s main boiler stack may be darker than normal. Personnel are taking steps to minimize emissions during the restart process. Imperial does not expect emissions during restart to exceed government guidelines. The Ministry of Environment and Climate Change and the community have been notified. Members of the public who would like more information can call Imperial's 24-hour plant operations line at 519-339-5666. Media should contact Imperial community affairs at 519 339-4015.	
Nov 2	8:52 pm	9:48 am Nov 3	NOVA Moore	CVECO Information Notice	Information at Nova Moore. High flaring and loud noise due to low density unit upset.	
Nov 3	9:14 am	1:12 pm	Enbridge	CVECO Information Notice	SADS exercise is now underway at Enbridge Pipelines.	<b>ANS</b>
Nov 3	10:10	7:28 pm Nov 3	TransAlta	CVECO Information Notice	An information has been issued for TransAlta for fire training.	
Nov 3	1:47 pm	4:42 pm Nov 4	Imperial Oil	CVECO Information Notice	Imperial Oil has issued an information only for high flaring due to unit shutdown.	<b>ANS</b>
Nov 5	3:44 pm	11:39 pm	Imperial Oil	CVECO Information Notice	Imperial Oil information, high flaring due to unit start up	<b>ANS</b>
Nov 6	2:30 pm	2:48 pm	Arlanxeo	ARL Information Notice	Arlanxeo has issued an information only for 500 Kenny Street for a medical emergency in the butyl unit.	
Nov 7	8:26 am	12:14 pm	Enbridge	CVECO Information Notice	Enbridge Pipelines conducting routine maintenance possible petroleum odor	
Nov 7	9:13 am		Suncor	Email from J. Johnson	I wanted to let you know that we are in the process of re-starting a unit following a period of maintenance. As a result, community members could notice intermittent increases in noise and visible flaring as well as occasional odours. As always, we are working to minimize the need for this activity. This information has also been shared on the CAER Industry Update Line (1-855-472-7645) for community members to access.	<b>FB</b>

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

				<p>CVECO Information Notice</p> <p>MOECC (SAC) Information Email &gt;&gt;&gt; (10:59 am)</p>	<p>Please let me know if you have any questions, Jennifer Johnson Senior Advisor, Communications &amp; Stakeholder Relations Suncor Energy, Sarnia Refinery</p> <p>Suncor at Saint Clair Parkway is issuing an information for unit start up, possibility of increased flaring and noise. <b>(10:36 am)</b></p> <p><b>MOECC Reference Number:</b> 3533-AFGL6B <b>Date and Time:</b> November 7, 2016 - 10:30 November 7, 2016 - 10:28 <b>Company Name (if known) and Location of Incident:</b> Suncor Energy Products - 1900 River Rd. Sarnia, ON. <b>What has occurred?</b> Increased potential for flaring due to maintenance until November 10th <b>What Action is being taken?</b> District notified. <b>Updates Expected:</b> NO</p>	
Nov 8	10:03 am	10:36 am	Imperial Oil	CVECO Information Notice	Information for Imperial Oil. 602 Christina street. Medical call for ambulance.	
Nov 9	8:01 am	1:27 pm	Enbridge	CVECO Information Notice	INFORMATION - has been issued for Enbridge Pipelines for routine maintenance, with the possibility of petroleum odors.	
Nov 9	9:47 am		Shell	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 3330-AFJJE6 <b>Date and Time:</b> Incident occurrence: 2016/11/09, 08:55 Reported to MOE at 2016/11/09, 08:55 <b>Company Name (if known) and Location of Incident:</b> Shell Refinery - 150 St. Clair Pky, St. Clair <b>What has occurred?</b> Start up of saturates gas system. Testing sulphur recovery unit. Resulting in flaring of acid gases over a few days or longer, pending testing process. <b>What Action is being taken?</b> N/A <b>Other agencies involved (if known):</b> N/A <b>Updates Expected:</b> NO</p>	<b>FB</b>
Nov 10	10:44 am	12:11 pm	Shell	CVECO Information Notice	Information at Shell Canada. 150 Saint Clair Parkway. Simulated Code 8 at Marketing Terminal. Possible alarm sounds and fire trucks.	<b>ANS</b>
Nov 14	7:55 am	2:45 pm	Enbridge	CVECO Information Notice	INFORMATION has been issued for Enbridge Pipelines at 1010 Plank Road for routine maintenance with the possibility for petroleum odors.	

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

Nov 14	9:06 am	9:07 am Nov 15	Shell	<p>CVECO Information Notice</p> <p>MOECC (SAC) Information Email &gt;&gt;&gt; (9:12 am)</p>	<p>INFORMATION has issued for Shell Canada for BTX unit down.</p> <p><b>MOECC Reference Number:</b> 6481-AFPJ78  <b>Date and Time:</b>            To take place at 2016/11/14 @ 0945h            MOE SAC notified at 2016/11/14 @ 0845h  <b>Company Name (if known) and Location of Incident:</b>            Shell Canada Refinery @ 150 St. Clair Parkway, Coruna  <b>What has occurred?</b>            Shell Canada advised the Ministry's Spills Action Centre that they will be shutting down a unit for repair and they hope to have the unit back up and running in 24 hours. Shell Canada reported there will be no increased noise nor flaring associated with this shutdown.  <b>What Action is being taken?</b> MOE SAC notified.  <b>Updates Expected:</b> NO</p>	FB
Nov 14	11:06 am		Enbridge	<p>MOECC Information Email &gt;&gt;&gt;</p>	<p><b>MOECC Reference Number:</b> 0675-AFPL55  <b>Date and Time:</b>            DATE &amp; TIME INCIDENT OCCURRED: Nov 14, 9:45 hrs            DATE &amp; TIME INCIDENT REPORTED TO MOECC: Nov 14, 10:26 hrs  <b>Company Name (if known) and Location of Incident:</b>            ENBRIDGE - 1010 Plank Rd, Sarnia, ON  <b>What has occurred?</b>            18L of crude oil spilled to a concrete base, no offsite impacts reported.  <b>What Action is being taken?</b>            Company placed oil absorbent material and will be steam washing the area.  <b>Other agencies involved (if known):</b> N/A  <b>Updates Expected:</b> NO</p>	FB
Nov 14	4:42 pm	9:01 pm	NOVA St Clair	<p>CVECO Information Notice</p>	<p>INFORMATION issued for Nova Saint Clair for onsite fire training involving Saint Clair Township Fire Department.</p>	
Nov 14	8:23 pm		Shell	<p>MOECC (SAC) Information Email &gt;&gt;&gt;</p>	<p><b>MOECC Reference Number:</b> 8340-AFQ2DX  <b>Date and Time:</b>            Occurred- 2016/11/14 19:04            Reported- 2016/11/14 19:19  <b>Company Name (if known) and Location of Incident:</b>            Shell Distribution Centre- 130 St Clair Parkway, St Clair Township  <b>What has occurred?</b>            Gasoline Vapours released to atmosphere, expected to last until 12:00 2016/11/15  <b>What Action is being taken?</b>            SAC and Sarnia MOECC notified  <b>Updates Expected:</b> Yes</p>	
Nov 15	8:45 am	11:03 am	Styrolution	<p>CVECO Information Notice</p>	<p>Information Simulation at 872 Tashmoo Styrolution. Simulated Benzene spill. No Emergency response required.</p>	

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

Nov 15	1:19 pm	3:21 pm	Plains Midstream	CVECO Information Notice  MOECC (SAC) Information Email >>> (1:43 pm)	xnz861 Plains Midstream Issued information on excessive flaring due to unit upset.  <b>MOECC Reference Number:</b> 5552-AFQP8N <b>Date and Time:</b> 2016/11/15 @ 13:02 2016/11/15 @ 13:05 <b>Company Name (if known) and Location of Incident:</b> Plains Midstream at 1182 Plank Rd Sarnia <b>What has occurred?</b> Flaring with smoke from 13:02 to 13:15 <b>What Action is being taken?</b> <b>Updates Expected:</b> NO	ANS /FB
Nov 15	9:41 pm		Unknown	MOECC (SAC) Information Email >>>	<b>MOECC Reference Number:</b> 3507-AFR485 <b>Date and Time:</b> Reported - 2016/11/15 20:52 <b>Company Name (if known) and Location of Incident:</b> Unknown Company- Churchill and Indian Road, Sarnia <b>What has occurred?</b> Spills Action Centre at 20:52 was notified by a resident of a propane odour. <b>What Action is being taken?</b> SAC and Sarnia District MOECC notified <b>Other agencies involved (if known):</b> N/A <b>Updates Expected:</b> Yes	FB
Nov 16	11:28 am	11:55 am	NOVA St Clair	CVECO Information Notice	Information issued for Nova Saint Clair at the Dupont Site for a simulation evacuation test. Alarms will sound.	ANS
Nov 16	11:44 pm		Unknown	MOECC (SAC) Information Email >>>	<b>MOECC Reference Number:</b> 5488-AFS6DR <b>Date and Time:</b> Complaint received at 10:43 11/16/2016 <b>Company Name (if known) and Location of Incident:</b> Unknown source. Complaint from Froomfield area. <b>What has occurred?</b> Resident reports strong burning odour, unknown source <b>What Action is being taken?</b> ERP responding to investigate <b>Updates Expected:</b> NO	
Nov 17	10:46 am	11:54 am	NOVA Corunna	CVECO Information Notice	INFORMATION issued for Nova Corunna at 785 Petrolia Line for testing of site alarms.	
Nov 17	12:03 pm	5:20 am	Suncor	CVECO Information Notice	INFORMATION issued for Suncor Energy for fire training.	
Nov 17	3:34 pm		Shell	Email Notification	The Shell Manufacturing Centre in Corunna plans to restart equipment at its Corunna refinery on <b>Friday, November 18</b> . Neighbours may notice increased flaring, and there is potential for noise to be heard offsite. This is part of the startup phase of the fall	FB

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

					<p>maintenance turnaround. The Ministry of Environment has been notified of this activity. We will keep the CAER line updated at 1-855-4SARNIA (472-7642). Please feel free to contact me at 519-330-4723 with any questions.</p> <p>Kristina Zimmer Shell Sarnia Manufacturing Centre</p>	
Nov 18	8:27 am		Arlanxeo	CVECO Information Notice	Hazmat training at Arlanxeo fire hall.	
Nov 18	4:58 pm		Shell	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 1820-AFTSRQ  <b>Date and Time:</b>            18November2016 @ 15:45            18November2016 @ 16:05  <b>Company Name (if known) and Location of Incident:</b>            150 St. Clair Parkway, Corunna  <b>What has occurred?</b>            Increased flaring  <b>What Action is being taken?</b> N/A  <b>Other agencies involved (if known):</b> N/A  <b>Updates Expected:</b> No</p>	
Nov 18	5:09 pm		Shell	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 0782-AFTST8  <b>Date and Time:</b>            18November2016 @ 16:00            18November2016 @ 16:09  <b>Company Name (if known) and Location of Incident:</b>            Shell Canada Products, 150 St. Clair Parkway, Corunna  <b>What has occurred?</b>            Unit went down, increased flaring  <b>What Action is being taken?</b> N/A  <b>Other agencies involved (if known):</b> N/A  <b>Updates Expected:</b> No</p>	
Nov 18	10:28 pm		Imperial Oil	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 1688-AFU5NZ  <b>Date and Time:</b>            November 18, 2016 @ 19:45            November 18, 2016 @ 22:07  <b>Company Name (if known) and Location of Incident:</b>            Imperial Oil, 602 Christina Street South, Sarnia  <b>What has occurred?</b>            Hydrogen release to atmosphere for one second.  <b>What Action is being taken?</b> N/A  <b>Other agencies involved (if known):</b> N/A  <b>Updates Expected:</b> No</p>	
Nov 18	10:48 pm		CF Industries	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 2558-AFU5YX  <b>Date and Time:</b>            Reported to SAC @ 22:23 11/18/2016  <b>Company Name (if known) and Location of Incident:</b>            CF Industries - 161 Bickford Line, Courtright, St. Clair Township  <b>What has occurred?</b>            Plant start-up between 22:45 and 23:45. NOx and CO emissions expected during this time.  <b>Updates Expected:</b> NO</p>	

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

Nov 18	10:53 pm		Imperial Oil	CVECO Information Notice	an information was issued for imperial oil for a minor unit upset and an all clear was issued at the same time	
Nov 20	6:53 pm	4:21 pm Nov 21	Imperial Oil	CVECO Information Notice	IMPERIAL OIL STEAM VENTING DUE TO UNIT START UP	
Nov 21	11:22 am		Shell	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 7525-AFWLM2</p> <p><b>Date and Time:</b> DATE &amp; TIME INCIDENT OCCURRED: November 21, 2016 @ 10:40 DATE &amp; TIME INCIDENT REPORTED TO MOECC: November 21, 2016 @ 10:52</p> <p><b>Company Name (if known) and Location of Incident:</b> Shell Canada, 150 St. Clair Parkway, St. Clair Township</p> <p><b>What has occurred?</b> Flaring and orange-coloured release to atmosphere.</p> <p><b>What Action is being taken?</b> NA</p> <p><b>Updates Expected:</b> NO</p>	<b>FB</b>
Nov 21	11:30 am		Shell	Email from K. Zimmer	<p>There will be elevated flaring at the Shell Corunna refinery today (Monday, November 21), as equipment repairs are underway. I will continue to keep you posted on the progress of this. If you have any questions, please feel free to contact me.</p> <p>Thanks, Kristina Zimmer Shell Sarnia Manufacturing Centre</p>	<b>FB</b>
Nov 22	2:24 pm	3:54 pm	Imperial Oil	CVECO Information Notice	Imperial Oil has issued a simulated code 7 and a simulated code 6	
Nov 23	8:02 am	2:32 pm	Enbridge	CVECO Information Notice	Enbridge pipelines will be conducting routine maintenance at its facility at 1010 Plank Rd. Members of the public may notice petroleum odors	
Nov 23	9:04 am	9:10 am	NOVA St Clair	CVECO Code 8	Code 8 issued at Nova St Clair site for a vapour release	
Nov 24	8:02 am		Shell	MOECC (SAC) Information Email >>>  CVECO Information Notice	<p><b>MOECC Reference Number:</b> 6812-AFZGXC</p> <p><b>Date and Time:</b> 11/24/2016-07:30 11/24/2016-07:47</p> <p><b>Company Name (if known) and Location of Incident:</b> Shell Canada- 150 St. Clair Parkway</p> <p><b>What has occurred?</b> Flaring from equipment maintenance</p> <p><b>What Action is being taken?</b> Repair</p> <p><b>Updates Expected:</b> Yes</p> <p>XJF737 shell has issued an information for possible high flare and noise due to shutting unit down. <b>(8:03 am)</b></p>	<b>FB</b>

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

Nov 24	1:17 pm		Suncor	Email Notification	<p>I wanted to let you know that due to scheduled maintenance by a third-party provided, the Suncor Sarnia refinery will be venting for a period of time tomorrow, Friday, November 25.</p> <p>As a result of this activity, community members might notice a temporary increase in noise levels between approximately 6am and 2pm.</p> <p>Please let me know if you have any questions,</p> <p>Jennifer Johnson Senior Advisor, Communications &amp; Stakeholder Relations Suncor Energy, Sarnia Refinery</p>	FB
Nov 25	4:58 am	11:08 am	Shell	<p>MOECC (SAC) Information Email &gt;&gt;&gt;</p> <p>CVECO Information Notice</p>	<p><b>MOECC Reference Number:</b> 4701-AG2D4K <b>Date and Time:</b> Occurred - 2016/11/25 03:15 Reported - 2016/11/25 04:27 <b>Company Name (if known) and Location of Incident:</b> Shell Canada- 150 St Clair Parkway, Sarnia <b>What has occurred?</b> Increased Flaring <b>What Action is being taken?</b> MOECC SAC notified <b>Updates Expected:</b> Yes</p> <p>XJF737 SHELL AT 150 ST CLAIR PARKWAY HAS ISSUED AN INFORMATION NOTIFICATION FOR HIGH FLARE AND NOISE DUE TO UNIT TRIP</p>	
Nov 25	7:32 am		Suncor	CVECO Information Notice	<p>Suncor at 1900 Saint Clair Parkway is issuing an information for venting CO2 in plant 3, as a result, there may be the possibility of increased noise in the area during this venting process.</p>	
Nov 25	4:47 pm		Sarnia Police Service	ECG Notification	<p>This is a reminder that the Primary Control Group will be meeting Tuesday, November 29th, 9AM sharp at the Sarnia Police HQ. Attendance will be taken and submitted to the province as per provincial legislation. Thanks in advance for making yourself and/or your alternate available. The exercise will run from 9-12PM. Questions? <a href="mailto:rsmith@police.sarnia.on.ca">rsmith@police.sarnia.on.ca</a>. Thanks Ron Smith</p>	
Nov 26	9:20 pm		Shell	<p>MOECC (SAC) Information Email &gt;&gt;&gt;</p>	<p><b>MOECC Reference Number:</b> 1582-AG4467 <b>Date and Time:</b> Occurred at: 2016/11/26 - 20:25 Reported at: 2016/11/26 - 20:49 <b>Company Name (if known) and Location of Incident:</b> Shell - 150 St. Clair Parkway, St. Clair <b>What has occurred?</b> Flaring of H2S <b>What Action is being taken?</b> Call-outs for repairs, air monitoring, perimeter walks <b>Other agencies involved (if known):</b>n/a <b>Updates Expected:</b>yes</p>	

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

Nov 27	10:41 am	4:26 pm Nov 29	Shell	<p>CVECO Information Notice</p> <p>MOECC (SAC) Information Email &gt;&gt;&gt;</p>	<p>Information for Shell Canada. EMU unit shutting down. High flaring.</p> <p><b>MOECC Reference Number:</b> 2365-AG4L79</p> <p><b>Date and Time:</b> November 27, 2016 @ 1229 hrs</p> <p><b>Company Name (if known) and Location of Incident:</b> Shell Refinery, 150 St. Clair Pkwy, St. Clair</p> <p><b>What has occurred?</b> During this shutdown there might be a larger than normal flame.</p> <p><b>What Action is being</b> Odours are not expected. There could be excess noise associated with the shutdown if they have to flare. Caller thinks that they will be down for 36-48 hours. Caller will update SAC if they receive any complaints or when back on-line. CVECO Info code has been initiated.</p> <p><b>Other agencies involved (if known):</b></p> <p><b>Updates Expected:</b> YES</p>	
Nov 28	7:11 am	4:00 pm	Imperial Oil	<p>CVECO Information Notice</p>	<p>Imperial Oil XJF 742 issuing information for excessive flare due to unit start up</p>	
Nov 28	8:29 am		Plains Midstream	<p>MOECC Update Information Email &gt;&gt;&gt;</p>	<p><b>Update Information E-mail to Aamjiwnaang First Nation – Plains Midstream Power Outage and Flaring</b></p> <p><b>MOECC Reference Number:</b> 5552-AFQP8N</p> <p><b>Date and Time Incident Occurred:</b> November 15, 2016 @ 1:02 pm</p> <p><b>Date and Time Incident Reported to MOECC:</b> November 15, 2016 @ 1:05 pm</p> <p><b>Company Name (if known) and Location of Incident:</b> Plains Midstream, 1182 Plank Road, Sarnia</p> <p><b>What has occurred?</b> This is an update to the incident that was reported to the ministry on Tuesday November 15, 2016. The company called the ministry's Spills Action Centre to report a power outage, which caused flaring with smoke. The power outage and flaring ended at approximately 1:15 pm.</p> <p><b>What Action is being taken?</b> As a result of the power outage, the company utilized their on-site flare to combust excess hydrocarbons which resulted in some visible smoky emissions. The flare is a ministry approved safety device. The flaring stopped at 1:15 pm. Neither the company nor the ministry received any complaints related to the event. The ministry contacted the company on November 16, 2016 to discuss the flaring incident and requirements in their Environmental Compliance Approval, including a requirement to conduct air emission modelling. Ministry staff determined that</p>	FB

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

					<p>no exceedances of air quality criteria were anticipated as a result of the power outage.</p> <p><b>Other Agencies involved (if known):</b> No other agencies involved.</p> <p><b>Updates Expected:</b> No further updates.</p>	
Nov 28	8:31 am		Unknown	MOECC Update Information Email >>>	<p><b>Update Information E-mail for Aamjiwnaang First Nation – Propane Odour Complaint at Indian Road and Churchill Road</b></p> <p><b>MOECC Reference Number:</b> 3507-AFR485  <b>Date and Time Incident Occurred:</b> November 15, 2016 @ 8:45 pm  <b>Date and Time Incident Reported to MOECC:</b> November 15, 2016 @ 8:52 pm  <b>Company Name (if known) and Location of Incident:</b> Unknown – Odour detected at Churchill Road and Indian Road in Sarnia  <b>What has occurred?</b>                      This update refers to an event that occurred on Tuesday, November 15, 2016. A resident called the ministry’s Spills Action Centre to report a propane odour in the area of Churchill Road and Indian Road.  <b>What Action is being taken?</b>                      The ministry’s Environmental Response Person was dispatched to inspect the area. The area of the odour complaint was inspected at approximately 11:30 pm. The wind direction was observed to be coming from the south at 5 km/hour at the time. Ministry staff could not detect the propane odour at the location of the complaint, but did detect a propane odour while travelling west along Confederation Line. Ministry staff identified a possible source for that odour - a facility located on Plank Road. Ministry staff inspected the facility and found a propane odour around their railcar loading area. Facility representatives informed ministry staff that they had not experienced any operational issues or upsets during that evening. Based on wind direction, it would be unlikely that this source was related to the original complaint. The wind direction shifted from the south to the west during the inspection. The ministry’s Environmental Response Person checked the area of the initial odour complaint for a second time and was not able to detect the odour.  <b>Other agencies involved (if known):</b> No other agencies.  <b>Updates Expected:</b> No further updates.</p>	FB
Nov 28	8:34 am		Unknown	MOECC Update Information Email >>>	<p><b>Update Information E-mail for Aamjiwnaang First Nation – Burning Odour Complaint in Froomfield area</b></p> <p><b>MOECC Reference Number:</b> 5488-AFS6DR  <b>Date and Time Incident Occurred:</b> November 16, 2016 @ 10:43 pm</p>	FB

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

					<p><b>Date and Time Incident Reported to MOECC:</b> November 16, 2016 @ 10:43 pm</p> <p><b>Company Name (if known) and Location of Incident:</b> Unknown source</p> <p><b>What has occurred?</b> This update refers to an odour complaint that occurred on November 16, 2016. A resident of the Froomfield area called the ministry's Spills Action Centre to report a strong burning odour. Winds were southwest at 4 km/hour at the time of the call.</p> <p><b>What Action is being taken?</b> The Spills Action Centre contacted Shell Canada as they are located upwind of the resident. The company reported no unusual issues or upsets that could be a possible source of the odour. Company staff had recently checked the perimeter of the site and did not detect any odours. Ministry staff were dispatched to inspect the area and arrived at the site of the odour complaint at approximately 1:48 am on November 17, 2016. Ministry staff noted the winds were from the southeast at 5 km/hour at the time. Ministry staff verified a strong odour at the resident's location. Ministry staff continued to check the area for odours to locate a possible source. Ministry staff contacted the Shell refinery and spoke with company staff regarding the odour. Shell staff and ministry staff conducted an odour check in the Froomfield area. The odour was reduced but still detectable. The source of the odour could not be verified at the time of the inspection. Ministry staff followed up with the company during business hours on November 17 and again on November 18, 2016. Shell staff confirmed that they were not able to determine the source of the odour. Monitoring and modelling data was submitted to the ministry by the company, indicating that a possible source of the odour could not be determined. Ministry staff are currently reviewing the data.</p> <p><b>Updates Expected:</b> No further updates.</p>	
Nov 28	2:09 pm	4:28 pm Nov 29	Shell	<p>CVECO Information Notice</p> <p>Email from K. Zimmer, Shell</p>	<p>Shell XJF37 issuing an information for high flaring due to unit shut down. Possible high flare and noise</p> <p>Shell is shutting down a process unit for repairs (Monday, Nov 28). As a result, there may be elevated flaring and a potential for noise to be heard off site. We will keep the CAER line updated at 1-855-4SARNIA (472-7642). If you have any questions, please feel free to contact me.</p> <p>Thanks, Kristina Kristina Zimmer Shell Sarnia Manufacturing Centre</p>	ANS /FB

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner


					<p><b>MOECC Reference Number:</b> 6855-AG5QCC</p> <p><b>Date and Time:</b> Incident occurred: November 28, 2016 at 13:55 Incident reported to MOECC: November 28, 2016 at 14:02</p> <p><b>Company Name (if known) and Location of Incident:</b> Shell Canada Products - 150 St Clair Pkwy, Corruna</p> <p><b>What has occurred?</b> Unexpected shutdown of a unit with flaring to occur at startup, with possible noise.</p> <p><b>What Action is being taken?</b> Notifications to MOECC and CVECO</p> <p><b>Updates Expected:</b> NO</p>	
Nov 28	7:37 pm	10:51 pm	Imperial Oil	CVECO Information Notice	INFORMATION issued for Imperial Oil for high flare due to unit start up.	
Nov 29	8:22 am	11:13 am	St Clair Ethanol	CVECO Information Notice	<p>Saint Clair Ethanol issuing information for an emergency response drill at 10 am</p> <p>Update: Saint Clair Ethanol issuing information for an emergency response drill at 10 am is now ongoing. Drill only. they have issued a code 9 and code 91 and code 6. request for Suncor. <b>(10:24 am)</b></p>	<b>ANS</b>
Nov 30	7:46 am	11:42 am	Enbridge	CVECO Information Notice	Information only has been issued for Enbridge at 1010 Plank Road for routine maintenance today until 1300 hours. Petroleum odours may be noticeable.	
Nov 30	11:00 am	11:34 am	NOVA Moore	CVECO Information Notice	Information code issued for Nova Moore at 510 Moore Line. Evacuation simulation on site between 1100 and 1200 hours.	<b>ANS</b>

# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner

## Percentages of Incident Notifications Occurring in the Month of November 2016




# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner


## Percentages of Proactive Notifications for the Month of November 2016



# Notification Report

November 2016

Wilson Plain Jr. – Emergency Management Planner



## CVECO Assistance Codes:

CODE 5- Incident outside of industry potentially requiring CVECO assistance.

CODE 6- Full traffic control requested in designated areas.

CODE 7- Bomb threat.

CODE 8- Notification by a CVECO member of an internal emergency occurrence. CVECO will take no action under this code.

Information Notice - Advice by a member of a non-emergency activity that may cause an inquiry.

CODE 9- Request for response by Municipal Fire Department.