

AAMJIWNAANG FIRST NATION

# Notification Report

---

April 2017

**Wilson Plain Jr. – Emergency Management Planner**  
May 1, 2017

Report of notifications received from local industries, CVECO, Ministry of the Environment and Climate Change (MOECC) and MyCNN notification system

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

Emergencies or Incidents reported for the month of April 2017.

- 50 notifications were received
- 3 phone calls, no text messages, 6 emails and 41 CVECO notifications were received
- 7 CVECO 'Codes' were issued. 34 CVECO 'Information Notices' were issued.
- 26 Aamjiwnaang Notifications were sent out (**ANS or FB**)

**Ministry of the Environment and Climate Change (MOECC) Information/Update emails received: 13**

**Community Inquiries:** 2 inquiries were received from community members regarding incidents near Aamjiwnaang.

Date	Time of Issue	Time of All Clear	Company	Type of Notice	Description Received	Follow-Up (if required)	ANS or FB
Apr 1	12:19 pm		Imperial Oil	Press Release	<p><b>Sarnia (Saturday, April 1, 2017)</b> – Imperial Sarnia is in the process of restarting an operating unit and as a result there may be intermittent, visible flaring for 12-24 hours beginning on Sunday, April 2, 2017. Flares are safety devices intended to safely burn off excess product or materials used at the facility. Imperial is informing the CVECO organization and the community about the flaring. Members of the community or media with questions can call community affairs at 519 339-4015.</p> <p>As always, members of the community who notice any unusual sights, sounds or odours in the vicinity of our operation are encouraged to call Imperial's 24-hour plan operations line at 519 339-5666.</p>		<b>FB</b>
Apr 2	5:40 am		Shell	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 8244-AL2CVS  <b>Date and Time that the incident occurred:</b> 2017/04/02 at 06:00  <b>Date and Time reported to the MOECC:</b> 2017/04/02 at 05:16  <b>Company name (if known) and location of incident:</b> Shell Refinery, 150 St. Clair Pkwy  <b>What has occurred?</b> High flaring for next 3 days due to planned maintenance  <b>What action is being taken?</b>                      MOECC Spills Action Centre notified  <b>Other agencies involved (if known):</b> N/A  <b>Updates expected:</b> No</p>		<b>FB</b>
Apr 2	6:28 am	7:27 pm Apr 4	Shell	CVECO Information Notice	Shell Canada at 150 St Clair parkway issuing an information for unit shut down with the potential for higher than normal flaring.		
Apr 2	3:26 pm	4:19 am Apr 3	Imperial Oil	CVECO Information Notice	XJF742 IMPERIAL OIL ISSUING AN INFORMATION FOR FLARING DUE TO UNIT START UP		
Apr 3	1:29 am		Shell	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 7353-AL3887  <b>Date and Time that the incident occurred:</b> 2017/04/03 at 00:55  <b>Date and Time reported to the MOECC:</b> 2017/04/03 at 01:17  <b>Company name (if known) and location of incident:</b> Shell Refinery, 150 St. Clair Pkwy  <b>What has occurred?</b></p>		

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

					Unit shut down, minimal flaring <b>What action is being taken?</b> Restarting unit <b>Other agencies involved (if known):</b> N/A <b>Updates expected:</b> No		
Apr 3	1:37 am	11:22 am Apr 3	Shell	CVECO Information Notice	Shell Canada issuing information only BTX unit trip, possible high flaring.		
Apr 3	12:46 pm	4:19 pm	Suncor	CVECO Information Notice	Suncor conducting fire training until 4pm today, April 3rd		
Apr 5	11:34 am	5:45 pm	Suncor	CVECO Information Notice	SUNCOR XJF738 LOCATED AT 1900 RIVER ROAD IN SARNIA IS ISSUING AN INFORMATION ONLY FOR FIRE TRAINING ON SITE. WITH THE MOVEMENT OF FIRE TRUCKS AND RELATED EQUIPMENT, AS WELL AS THE USE OF HIGH PRESSURE FIRE WATER. SHOULD BE COMPLETED BY FOUR THIS AFTERNOON.		ANS
Apr 6	10:54 pm	9:32 pm Apr 8	Imperial Oil	CVECO Information Notice	Information only for Imperial Oil at 602 Christina Street South. High flaring due to unit upset.		
Apr 6	11:20 pm		Imperial Oil	MOECC (SAC) Information Email >>>	<b>MOECC Reference Number:</b> 8826-AL74Z9 <b>Date and Time that the incident occurred:</b> 04/06/2017 22:23 <b>Date and Time reported to the MOECC:</b> 04/06/2017 22:32 <b>Company name (if known) and location of incident:</b> Imperial Oil Limited, 602 Christina St S. <b>What has occurred?</b> A ten second release of ethylene to the atmosphere and associated increased flaring. <b>What action is being taken?</b> MOECC Spills Action Centre notified, Health Canada and Environment Canada notified <b>Other agencies involved (if known):</b> Health Canada and Environment Canada <b>Updates expected:</b> No		FB
Apr 7	12:25 am		Suncor	MOECC (SAC) Information Email >>>	<b>MOECC Reference Number:</b> 7280-AL76D7 <b>Date and Time that the incident occurred:</b> 2017/04/06 22:45 <b>Date and Time reported to the MOECC:</b> 2017/04/06 23:42 <b>Company name (if known) and location of incident:</b> Suncor Energy Inc. - 1900 River Rd. <b>What has occurred?</b> Complaint of noise, vibration and rumbling suspected to be coming from Suncor. <b>What action is being taken?</b> MOECC Spills Action Centre and Sarnia District Office notified. An EO is attending site. <b>Other agencies involved (if known):</b> n/a <b>Updates expected:</b> YES		FB
Apr 7	8:26 am	2:25 pm	Enbridge	CVECO Information Notice	Enbridge conducting routine maintenance at 1010 plank road. may smell petroleum odours.		ANS

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

Apr 7	1:13 pm	8:11 pm Apr 12	Plains Midstream	CVECO <b>Code 8</b>	Code 8 was issued for Plains Midstream. Leak in underground pipe of petroleum crude oil. leak contained to sump system.		<b>ANS</b>
Apr 7	2:48 pm		Plains Midstream	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 5837-AL7MGM  <b>Date and Time that the incident occurred:</b> April 7, 2017 at 12:00  <b>Date and Time reported to the MOECC:</b> April 7, 2017 at 12:36  <b>Company name (if known) and location of incident:</b> Plains Midstream, 1182 Plank Rd.  <b>What has occurred?</b>                      Hydrocarbons release to air  <b>What action is being taken?</b>                      Off-site air monitoring is conducted  <b>Other agencies involved (if known):</b>                      MOECC, EC, HC and Sarnia Aamjiwnaang First Nations were notified.  <b>Updates expected:</b> No</p>	Information was received to advise crude oil was leaked into the on-site sump system. No external releases were involved. Possible petroleum odours during the incident.	<b>FB</b>
Apr 11	10:43 am	5:07 pm	Suncor	CVECO Information Notice	fire training at Suncor Sarnia Refinery resulting in the use of the fire trucks and high pressure water. training expected to be complete by 16:00 today.		
Apr 11	2:20 pm		Shell Canada	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 1108-ALBP9V  <b>Date and Time that the incident occurred:</b> 15:00, 04/11/2017  <b>Date and Time reported to the MOECC:</b> 14:15, 04/11/2017  <b>Company name (if known) and location of incident:</b> Shell Canada  <b>What has occurred?</b>                      Process Testing, possible future venting  <b>What action is being taken?</b> Process Test  <b>Other agencies involved (if known):</b> N/A  <b>Updates expected:</b> If Venting Occurs notification will be sent</p>		<b>FB</b>
Apr 11	2:45 pm	11:01 pm	Shell Canada	CVECO Information Notice	information at Shell Canada for a unit shutdown of boiler 6. possible steam venting involved.		<b>ANS</b>
Apr 12	8:41 am	11:28 am	NOVA St Clair	CVECO Information Notice	Nova Saint Clair is issuing an information only for fire training. Emergency vehicle lights flashing.		<b>ANS</b>
Apr 12	9:33 am	8:09 pm	Shell Canada	CVECO Information Notice	Shell is issuing an information only for a unit shut down. Possible higher flare and noise.		<b>ANS</b>
Apr 12	10:11		Shell Canada	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 2752-ALCHRS  <b>Date and Time that the incident occurred:</b> 04/12/2017 - 09:25  <b>Date and Time reported to the MOECC:</b> 04/12/2017 - 09:25  <b>Company name (if known) and location of incident:</b> Shell Canada, 150 St. Clair Parkway,  <b>What has occurred?</b>                      Scheduled maintenance of boiler. No increased flaring, possible noise.  <b>What action is being taken?</b> MOECC SAC notified.</p>		<b>FB</b>

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

					<p><b>Other agencies involved (if known):</b> N/A  <b>Updates expected:</b> No</p>		
Apr 13	1:18 pm		INEOS Styrolution	Email from M. McKay	<p>This message is to advise you that you may observe increased flaring at INEOS Styrolution Canada Limited for a few days, beginning on April 16, 2017 due to planned compressor maintenance.                      No community action is required.                      Michelle McKay                      Environmental Technologist</p>		FB
Apr 13	5:42 pm	6:23 pm	Imperial Oil	CVECO CODE 8	<p>Code 8 was issued for Imperial Oil. Vapour release, unknown product at this time.  <b>UPDATE:</b> Update for Code 8 that was issued for Imperial Oil. Vapour release. the product is H2S.</p>	2 separate H2S monitors activated causing facility alarm. No leaks identified and air monitoring failed to identify H2S. Investigation into the cause of alarm.	FB
Apr 13	5:59 pm		Imperial Oil	Information Email from J. Harding	<p>Imperial personnel are responding to a reported toxic vapor release. Site emergency warning sirens have been activated. More information will be provided as soon as becomes available.</p>		
Apr 13	7:05 pm		Imperial Oil	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 8042-ALDU28  <b>Date and Time that the incident occurred:</b> 2017/04/13 - 17:33  <b>Date and Time reported to the MOECC:</b> 2017/04/13 - 18:11  <b>Company name (if known) and location of incident:</b> Imperial Oil Sarnia Refinery  <b>What has occurred?</b>                      Hydrogen sulphide alarms were activated within the refinery as well as emergency warning system alarms for the site. The issue has been resolved and Imperial Oil confirms no spill to air.  <b>What action is being taken?</b>                      MOECC SAC Contacted. Imperial Oil is Investigating the cause of the alarms. Downwind air monitoring activated.  <b>Other agencies involved (if known):</b>                      CVECO, Sarnia Fire Department  <b>Updates expected:</b> No</p>		FB
Apr 13	7:13 pm		Imperial Oil	Information Bulletin	<p><b>All clear issued at Imperial</b>                      Sarnia (Thursday, April 13, 2017) – Imperial has issued an all clear related to a reported toxic vapour release at Sarnia manufacturing site. Imperial personnel responded to two hydrogen sulphide (H2S) monitors that activated at approximately 6:05 p.m. today within the manufacturing site. Investigation by site personnel identified no leaks and air quality monitoring has identified no detectable levels of H2S or hydrocarbon. The company issued an all clear at approximately 6:15 p.m. Imperial will complete an investigation to determine why the monitors activated. The CVECO organization, community and all appropriate agencies have been notified, including Ontario’s Ministry of the Environment and Climate Change.                      There are no injuries as a result of the issue.</p>		FB

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

					Members of the community or media with questions can call community affairs at 519 339-4015. As always, members of the community who notice any unusual sights, sounds or odors in the vicinity of our operation are encouraged to call Imperial's 24-hour plan operations line at 519 339-5666.		
Apr 14	3:44 pm	6:39 pm	CN Rail	CVECO Information Notice  <b>CODE 8</b>	Canadian National Rail advised an information Code for a slight leak of liquid hydro carbon from one of their rail cars. <b>UPDATE (5:09pm):</b> Canadian National Rail has upgraded to a Code 8.		
Apr 14	8:15 pm		CN Rail	MOECC (SAC) Information Email >>>	<b>MOECC Reference Number:</b> 21630-ALEUFC <b>Date and Time that the incident occurred:</b> 14April2017 @ 18:15 <b>Date and Time reported to the MOECC:</b> 14April2017 @ 18:32 <b>Company name (if known) and location of incident:</b> CN Rail - 699 McGregor Sideroad, Sarnia <b>What has occurred?</b> -Spill of hydrocarbon liquid to side of railcar and ballast. <b>What action is being taken?</b> -Imperial Oil has clean-up crew onsite to wash railcar before moving. <b>Other agencies involved (if known):</b> Imperial Oil responding <b>Updates expected:</b> No		
Apr 16	12:05 am	3:52 pm	CF Industries	CVECO Information Notice	Information only issued for CF Industries at 161 Bickford Line. Urea plant is shutting down and there is the possibility of an odour. Wind is from the South at 15 kilometres per hour. <b>UPDATE (7:42am):</b> Update on Information issued for CF Industries at 161 Bickford Line. Ammonia 2 unit is shutting down and there is the possibility of high flaring and loud noise. Wind is from the south at 16 to 18 kilometers per hour		
Apr 18	2:14 am	1:43 am Apr 19	INEOS Styrolution	CVECO Information Notice	INEOS STYROLUTIONS INFORMATION FOR UNIT FLARING		
Apr 18	9:29 am	12:59 pm	Suncor	CVECO Information Notice	Information at Suncor for an onsite emergency drill until 1600 hours		
Apr 18	9:34 pm	5:54 am Apr 19	CF Industries	CVECO Information Notice	CF Industries is issuing an information only for possible odour due to planned shutdown of nitric acid unit. This is an information only effective April 18, 2017 at 2200 hours.		

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

Apr 20	7:48 am	11:40 am	NOVA St Clair	CVECO Information Notice	NOVA ST CLAIR SITE HAS FIRE TRAINING TODAY FROM 8AM UNTIL NOON PUBLIC MAY NOTICE WATER SPRAYING		
Apr 20	8:01 am	2:35 pm	Suncor	CVECO Information Notice	SUNCOR FIRE TRAINING UNTIL 1600 HOURS		ANS
Apr 20	10:33 pm	Apr 21 4:11 am	CF Industries	CVECO Information Notice	INFORMATION FOR CF INDUSTRIES AT 161 BICKFORD LINE THE COURTRIGHT NITROGEN COMPLEX WILL HAVE A PLANNED STARTUP OF THE NITRIC ACID UNIT. POSSIBLE SMELL MAY BE DETECTED. WIND FROM THE SSE AT 3 KILOMETRES PER HOUR		
Apr 21	7:12 am	1:37 pm Apr 23	CF Industries	CVECO Information Notice	CF INDUSTRIES COURTRIGHT WILL BE STARTING UP THEIR AMMONIA 2 UNIT WITH POSSIBLE HIGH FLARING AND LOUD NOISE. WIND FROM THE SOUTH WEST AT 10 KILOMETERS PER HOUR.		
Apr 22	10:34 am	4:42 pm Apr 23	Imperial Oil	CVECO Information Notice	Imperial Oil has issued an Information only for excessive noise due to normal maintenance.		
Apr 23	5:39 pm		Imperial Oil	MOECC (SAC) Information Email	<p><b>MOECC Reference Number:</b> 2836-ALPT5W</p> <p><b>Date and Time that the incident occurred:</b> 04/23/17-1704</p> <p><b>Date and Time reported to the MOECC:</b> 04/23/17-1735</p> <p><b>Company name (if known) and location of incident:</b> Imperial Oil, Sarnia Location</p> <p><b>What has occurred?</b> Process Upset in operation</p> <p><b>What action is being taken?</b> N/A</p> <p><b>Other agencies involved (if known):</b> No</p> <p><b>Updates expected:</b> No</p>		
Apr 24	9:31 am	4:43 pm	Suncor	CVECO Information Notice	Suncor XJF738 at 1900 River Road in Sarnia is issuing an information only for on site fire training at the Suncor refinery. Movement of fire trucks and related equipment, as well as the use of high pressure fire water. Training should be completed by 4 this afternoon.		
Apr 24	5:39 pm		Shell Canada	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 4077-ALQSWX</p> <p><b>Date and Time that the incident occurred:</b> 04/24/17-17:15</p> <p><b>Date and Time reported to the MOECC:</b> 04/24/17-17:15</p> <p><b>Company name (if known) and location of incident:</b> Shell Canada</p> <p><b>What has occurred?</b> Process Upset</p> <p><b>What action is being taken?</b> Investigating process loss, will be restarting once found.</p> <p><b>Other agencies involved (if known):</b> None</p> <p><b>Updates expected:</b> Yes</p>		

## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

Apr 24	5:55 pm	7:52 pm	Shell Canada	CVECO Information Notice	INFORMATION FOR SHELL CANADA AT 150 SAINT CLAIR PARKWAY FOR A BOILER TRIP. POTENTIAL STEAM VENTING WITH LOUD NOISE.		
Apr 25	8:12 am	8:26 am	Imperial Oil	CVECO Information Notice	Imperial oil issued an information only for medical.		
Apr 25	2:06 pm	3:02 pm	Imperial Oil	CVECO Information Notice	Imperial oil issuing an Information for high flaring and noise due to unit start up		ANS
Apr 26	7:38 am	11:46 am	NOVA St Clair	CVECO Information Notice	Information issued for Nova St. Clair for fire training.		
Apr 27	7:03 am	11:47 am	CF Industries	CVECO Information Notice	CF INDUSTRIES PLANNED SHUTDOWN OF THEIR UREA PLANT EFFECTING LOUD NOISE SMELL AND DISCHARGE TO THE AIR		
Apr 27	9:14 am	5:38 pm	Suncor	CVECO Information Notice	SUNCOR CONDUCTING FIRE TRAINING TODAY APRIL 27TH UNTIL 4 PM		
Apr 27	12:01 pm	8:29 am Apr 28	CF Industries	CVECO Information Notice	INFORMATION FOR CF INDUSTRIES AT 161 BICKFORD LINE. PLANNED UREA UNIT START UP.		ANS
Apr 27	12:30 pm		NOVA Corunna	CVECO <b>CODE 8</b>	Code 8 was issued for NOVA CORUNNA at 785 PETROLIA LINE. EVACUATING TO SAFE HAVEN AS A PRECAUTION DUE TO COMPLETE UNIT TRIP. High flaring occurring due to unit trip		ANS
Apr 27	12:37 PM	5:35 pm	CN Rail	CVECO <b>CODE 8</b>	Code 8 was issued CN RAIL. 431 RUSSELL STREET. SMALL LEAK OF MOLTON SULPHER FROM RAIL CAR		ANS
Apr 27	1:30 pm		NOVA Chemicals	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 0173-ALTMJU</p> <p><b>Date and Time that the incident occurred:</b> 04/27/2017 @ about 1228h</p> <p><b>Date and Time reported to the MOECC:</b> 04/27/2017 @ 1228h</p> <p><b>Company name (if known) and location of incident:</b> Nova Chemicals- 785 Petrolia Line</p> <p><b>What has occurred?</b> Plant wide process upset. Plant shut down is commencing with excessive flaring.</p> <p><b>What action is being taken?</b> Local MOECC office is aware. Company is investigating the cause of the process upset and are monitoring the shutdown process.</p> <p><b>Other agencies involved (if known):</b> u/k</p> <p><b>Updates expected:</b> Yes</p>		FB
Apr 27	1:36 pm	2:51 pm	INEOS Styrolution	CVECO Information Notice	INFORMATION FOR INEOS STYROLUTION AT 872 TASHMOO AVENUE. ALARMS WERE SOUNDED TO CLEAR OUR UNIT ONLY, AS IT IS FED BY NOVA CORUNNA. PRECAUTIONS WERE TAKEN FOR SAFETY.		ANS



## Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

Apr 27	3:42 am		NOVA Chemicals	Email from M. Kreeft, NOVA	<p>As you know from our CVECO and CAER notifications, and calls with us earlier this afternoon, the Corunna Site is experiencing an outage.</p> <p>As we proceed with unit start-up over the coming days, some increased noise may occur and periods of elevated flaring are expected. Should you have any further questions, please contact me at 519-402-1577. Information updates will also be shared via the CAER Industry Update line as required. Please call 1-855-4SARNIA or 1-855-472-7642.</p> <p>With thanks, Meaghan Kreeft   Communications Consultant Manufacturing East Communications   NOVA Chemicals Corporation</p>	Follow up phone call to M. Kreeft: Workers in the affected area were evacuated to safe havens onsite due to the unit trip. It was not anticipated for local community to take action for this event.	FB
Apr 27	7:14 am		Suncor	Phone call from J. Johnson,	Jennifer Johnson called to advise of a minor anomaly in the facility monitoring system. Indications are that a low level of hydrocarbon was detected in the effluent of the Once Through Cooling Water system. Effluent was discharged into St Clair River for a brief period. Potential for environmental risk is minimal.		
Apr 27	7:57 pm		Suncor	Email from J. Johnson, Suncor	<p>At approximately 2:00pm today (Thursday, April 27), the Sarnia Refinery initiated a controlled shutdown of a section of the Once Through Cooling Water system in response to a minor anomaly in the routine system monitoring. A very low level of hydrocarbon was measured in the effluent of the system.</p> <p>We immediately began a thorough review of our operations to identify potential sources and conducted additional sampling to verify that the issue was quickly identified and isolated. We have provided notification of this work to the Ministry of the Environment and Climate Change and CVECO and will continue to keep both updated on this issue as it progresses. Based on our investigation so far, we believe the potential environmental risk to the St. Clair River is very low and no community action is required.</p> <p>Please let me know if you have any questions, Jennifer Johnson</p>		
Apr 27	9:16 pm		Suncor	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 8166 - ALTUG6</p> <p><b>Date and Time that the incident occurred:</b> April 27, 14:00 hrs</p> <p><b>Date and Time reported to the MOECC:</b> April 27, 18:33 hrs</p> <p><b>Company name (if known) and location of incident:</b> SUNCOR Refinery - 1900 River Road</p> <p><b>What has occurred?</b> Low levels of hydrocarbons detected at coolant system effluent discharging to Saint Clair River</p> <p><b>What action is being taken?</b> Company is conducting a controlled shut down to complete repairs at the Site, MOECC Sarnia has been notified</p> <p><b>Other agencies involved (if known):</b> N/A</p> <p><b>Updates expected:</b> YES</p>		FB

## Notification Report - April 2017


Wilson Plain Jr. – Emergency Management Planner

Apr 27	9:47 pm	9:49 am Apr 30	Suncor	CVECO Information Notice	Suncor has initiated a temporary shutdown of a section of its Once Through Cooling Water system in response to a minor anomaly in routine monitoring. MOECC has been notified. There is no anticipated impact to the river. Started at 19:10.		
Apr 28	7:27 pm	12:23 pm Apr 29	NOVA Moore	CVECO Information Notice	Nova Moore issued an information for loud flaring and larger flame than usual		
Apr 30	8:54 pm	8:57 pm	NOVA Corunna	CVECO <b>CODE 8</b>	Code 8 was issued for Nova Corunna VCW454 located at 785 Petrolia Line, Corunna for steam venting.		
Apr 30	9:04 pm	10:07 pm	NOVA Corunna	CVECO <b>CODE 8</b>	Code 8 re-issued for Nova Corunna VCW454 at 785 Petrolia Line, Corunna for steam venting.		
Apr 30	10:56 pm	12:52 am May 1	Imperial Oil	CVECO Information Notice	Imperial Oil issued an information for loud noise due to steam venting		


# Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner

## Incident Notifications for the Month of April 2017




## Proactive Notifications for the Month of April 2017



# Notification Report - April 2017

Wilson Plain Jr. – Emergency Management Planner



### CVECO Assistance Codes:

CODE 5- Incident outside of industry potentially requiring CVECO assistance.

CODE 6- Full traffic control requested in designated areas.

CODE 7- Bomb threat.

CODE 8- Notification by a CVECO member of an internal emergency occurrence. CVECO will take no action under this code.

Information Notice (Code 8)- Advice by a member of a non-emergency activity that may cause an inquiry.

CODE 9- Request for response by Municipal Fire Department. (Includes Codes 91 and Code 92-Specific Fire Equipment)