

AAMJIWNAANG FIRST NATION

# Notification Report

---

October 2017

**Wilson Plain Jr. – Emergency Management Planner**  
November 1, 2017

Report of notifications received from local industries, CVECO, Ministry of the Environment and Climate Change (MOECC) and MyCNN notification system

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

Emergencies or Incidents reported for the month of October 2017.

- 71 notifications were received
- No phone calls, 1 text message, 8 emails and 45 CVECO notifications were received
- 6 CVECO 'Codes' were issued (5 Simulation Codes). 40 CVECO 'Information Notices' were issued.
- 13 Aamjiwnaang Notifications were sent out (**ANS or FB**)

**Ministry of the Environment and Climate Change (MOECC) Information/Update emails received: 16**

**Community Inquiries:** No inquiries were received from community members regarding incidents near Aamjiwnaang.

Date	Time of Issue	Time of All Clear	Company	Type of Notice	Description Received	Follow-Up (if required)	ANS or FB
Oct 2	6:38 am	7:45 am	Imperial Oil	CVECO Information Notice	Imperial Oil 602 Christina street information only for medical assist.		
Oct 2	7:21 am		INEOS Styrolution	Information Email from H. Orton	This is for your information and awareness. A local Media Company is creating three LIVE, WORK, PLAY videos for the City of Sarnia. They will be taking pictures/video of our site on Monday, October 2, 2017 around 10:30 a.m. from the boulevard outside our fence on Tashmoo near Churchill. They have our permission. We wanted to let you know in case you observe this and wondered what was going on. Regards, Heather Orton, Human Resources Manager		
Oct 2	10:05 am	4:31 pm	Suncor	CVECO Information Notice	Suncor information for fire training please be advised that this morning and afternoon. Fire trucks and related equipment as well as the use of high pressure fire water training. Should be completed by four pm		
Oct 3	8:35 am	7:37 am Oct 4	Enbridge	CVECO Information Notice	Enbridge Pipelines will be conducting routine maintenance at its facility at 1010 Plank Road. Members of the public may notice petroleum odours. Work is scheduled to commence at eight fifteen.		
Oct 3	10:56 am	4:22 pm	Suncor	CVECO Information Notice	Please be advised that there will be on-site fire training at Suncor Sarnia refinery. As a result, you may notice the movement of fire trucks and related equipment as well as the use of high pressure fire water. This activity is all part of our normal training exercises. Training will be completed by four o'clock today.		
Oct 4	9:53 am		Suncor	Email from J. Johnson, Suncor	The Suncor Sarnia refinery is continuing the process of safely shutting down process units for maintenance. During this time, community members may notice intermittent periods of visible flaring as well as a possible increase in		

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>noise levels. As always, we will make every effort to minimize these disruptions.</p> <p>This activity has been communicated to the Ministry of the Environment and Climate Change and CVECO and is being shared via the CAER Industry Update Line (1-855-472-7642). Please let me know if you have any questions, Jennifer Johnson</p> <p>Senior Advisor, Communications &amp; Stakeholder Relations</p> <p>Suncor Energy, Sarnia Refinery</p>		
Oct 5	7:13 am	11:41 am	Shell Canada	CVECO Information Notice	Shell Canada at 150 Saint Clair Parkway issuing an information only for NHT unit for possible high flaring.		
Oct 5	7:21 am		Shell Canada	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 1228-ARUEZJ</p> <p><b>Date and Time that the incident occurred:</b> 10/05/2017 - 07:00</p> <p><b>Date and Time reported to the MOECC:</b> 10/05/2017 - 07:04</p> <p><b>Company name (if known) and location of incident:</b> Shell Canada - 150 St. Clair Pkwy.</p> <p><b>What has occurred?</b> Unit shutdown caused by mechanical error</p> <p><b>What action is being taken?</b> Error has been fixed. Potential for flaring on restart of unit</p> <p><b>Other agencies involved (if known):</b> CVECO</p> <p><b>Updates expected:</b> YES</p>		FB
Oct 5	9:28 am	1:02 pm	Suncor	CVECO Information Notice	Suncor at 1900 saint clair parkway issuing an information for an emergency drill. This is estimated to last thirty minutes.		
Oct 5	9:36 am	9:47 am	NOVA Moore	CVECO Code 8	Code 8 was issued for nova moore at 510 moore Line. Alarms sounding, investigating now.		
Oct 5	10:10		UNKNOWN	MOECC Update Information Email>>>	<p>Update Information E-mail for Aamjiwnaang First Nation – Odour Complaint in Corunna</p> <p><b>MOECC Reference Number:</b> 3812-ARA3TU</p> <p><b>Date and Time that the incident occurred:</b> September 16, 2017 @ 9:00 pm</p> <p><b>Date and Time reported to the MOECC:</b> September 16, 2017 @ 9:32 pm</p> <p><b>Company name (if known) and location of incident:</b> In the vicinity of LaSalle and St. Clair Parkway, Corunna</p> <p><b>What has occurred?</b> This update is for an event that occurred on September 16, 2017. A resident of Corunna called the ministry's Spills Action Centre to report being impacted by a strong sulphur odour. The wind was from the south at the time of the complaint.</p> <p><b>What action is being taken?</b> The ministry's Spills Action Center notified an area company that was identified by the resident as being the possible source of the odour. The company conducted air quality monitoring and odour checks downwind of their site and beyond their fenceline. The company</p>		FB

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

					<p>reported no detection of volatile organic compounds or sulphur compounds, and no detection of odours. Ministry staff inspected the area for odours at approximately 11:30 pm on September 16, 2017. No odours were detected. Ministry staff gathered information from the company to determine if there were any operational issues or activities that could have caused the odours. The company had been emptying a tank that evening. As a precaution, the company stopped emptying the tank. On September 20, 2017, the company submitted additional information to the ministry on the material being drained and their procedures followed when conducting the draining. The source and cause of the odour reported by the resident on September 16, 2017 could not be confirmed. There were no reported operational upsets by other area companies.</p> <p><b>Other agencies involved (if known):</b> None</p> <p><b>Updates expected:</b> No further updates.</p>		
Oct 5	10:57 am	1:02 pm	St. Clair Ethanol	CVECO Information Notice	<p>correction on location on previous information that was issued. Suncor Saint Clair Ethanol at 535 Rokeby line had issued an information for an emergency drill. This is estimated to last thirty minutes.</p>		
Oct 5	11:59 am		Shell Canada	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 3510-ARULGC</p> <p><b>Date and Time that the incident occurred:</b> October 5, 2017 @ 1145</p> <p><b>Date and Time reported to the MOECC:</b> October 5, 2017 @ 1145</p> <p><b>Company name (if known) and location of incident:</b> Shell Refinery, 150 St. Clair Pkwy</p> <p><b>What has occurred?</b> They are starting up Boiler #3</p> <p><b>What action is being taken?</b> N/A will contact SAC if they receive any complaints.</p> <p><b>Other agencies involved (if known):</b> (N/A)</p>		
Oct 5	12:00 pm		Shell Canada	CVECO Information Notice	<p>Shell Canada at 150 Saint Clair Parkway issuing an information only for possible noise from venting due to boiler start up.</p>		<b>ANS</b>
Oct 5	2:12 pm	2:27 pm	Imperial Oil	CVECO Information Notice	<p>Imperial Oil at 602 Christina Street South issuing an information only for simulation fire alarm.</p>		
Oct 6	12:15 pm	4:23 pm	Suncor	CVECO Information Notice	<p>Suncor Refinery Sarnia will be conducting fire training on-site today until 4:00p.m. You may notice the movement of fire trucks and related equipment, as well as high pressure fire water. This is all part of standard fire training exercises.</p>		
Oct 12	8:35 am	4:44 pm	Suncor	CVECO Information Notice	<p>Suncor xjf738 issuing an information for fire training</p>		

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

Oct 12	10:40 am	10:40 am	Ontario Power	CVECO Information Notice	Ontario Power information for a drill. all clear on information at the same time as fax received		
Oct 12	11:16 am		Pembina	CVECO Information Notice	Pembina at 4391 Forty Highway South, between Petrolia Line and Lasalle Line issuing an information for venting of nitrogen on site. Venting may cause noise to be present in the area of Highway Forty.		ANS
Oct 12	2:30 pm		Imperial Oil	CVECO Information Notice	Imperial Oil advised of High Flaring starting at thirteen forty.		ANS
Oct 12	7:29 pm		Imperial Oil	CVECO Information Notice	Imperial Oil advised of High Flaring and unit start up		
Oct 13	10:00 am	1:49 pm Oct 15	Pembina Pipelines	CVECO Information Notice	Pembina advising of information only for high flaring and loud venting.		
Oct 13	11:18 am	11:18 am	INEOS Styrolutions	CVECO Information Notice	Correction on location - Ineos Styrolution for high flaring and unit start-up issued last night at nineteen twenty-four hours. It has also had an all clear issued this morning at eleven oh five hours.		
Oct 13	3:20 pm		Shell Canada	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 2633-AS4PLZ</p> <p><b>Date and Time that the incident occurred:</b> 2017/10/13 @ 13:50</p> <p><b>Date and Time reported to the MOECC:</b> 2017/10/13 @ 14:25</p> <p><b>Company name (if known) and location of incident:</b> Shell Canada - 150 St. Clair Parkway</p> <p><b>What has occurred?</b> Flaring</p> <p><b>What action is being taken?</b> Shut down and Start up</p> <p><b>Other agencies involved (if known):</b> MOECC</p> <p><b>Updates expected:</b> No</p>		
Oct 13	4:36 pm		Imperial Oil	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 0750-AS4QZJ</p> <p><b>Date and Time that the incident occurred:</b> 2017-10-13 15:15</p> <p><b>Date and Time reported to the MOECC:</b> 2017-10-13 15:36</p> <p><b>Company name (if known) and location of incident:</b> Imperial Oil Sarnia Refinery at 602 Christina St S, Sarnia (near intersection of Christina St. and Clifford St.)</p> <p><b>What has occurred?</b> During excavation, 1-2 L of hydrocarbon was found within the excavated area. Not an active spill.</p> <p><b>What action is being taken?</b> Vac truck is on route to the site for cleanup. ETA: 15 mins</p> <p><b>Other agencies involved (if known):</b> No</p> <p><b>Updates expected:</b> No</p>		

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

Oct 15	8:51 am		Suncor	Text Message from J. Johnson	I just received a call from the Shift Supervisor at the refinery. He let me know that due to an interruption in service from a third-party provider, we are currently venting steam mixed with low levels of hydrocarbon dioxide. During this time, the community will notice an increase in noise from the Suncor site. The venting will last until the third-party issue is resolved. Please let me know if you have any questions.		
Oct 15	9:07	1:58 pm	Suncor	CVECO Information Notice	Suncor at 1900 Saint Clair Parkway issuing an information only for venting CO2 in plant 2, loud noise may be possible.		
Oct 15	9:18 am		Suncor	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 5630-AS6GSW</p> <p><b>Date and Time that the incident occurred:</b> 2017/10/15 at 08:20</p> <p><b>Date and Time reported to the MOECC:</b> 2017/10/15 at 08:36</p> <p><b>Company name (if known) and location of incident:</b> Suncor Sarnia Refinery 1900 River Rd, Sarnia</p> <p><b>What has occurred?</b> Venting CO2 to atmosphere, potential noise.</p> <p><b>What action is being taken?</b> CVECO information only alert</p> <p><b>Other agencies involved (if known):</b> none</p> <p><b>Updates expected:</b> No</p>		
Oct 15	12:58 pm	3:12 pm	Imperial Oil	CVECO Information Notice	Imperial Oil advised loud noise due to unit start up		
Oct 15	1:51 pm	5:45 pm	CF Industries	CVECO Information Notice	CF industries having a planned shut-down of nitric acid unit and loud noise and excess product from stack		
Oct 15	1:51 pm		Suncor	MOECC (SAC) Information Email>>> (UPDATE)	<p><b>MOECC Reference Number:</b> 5630-AS6GSW</p> <p><b>Date and Time that the incident occurred:</b> 2017/10/15 at 08:20</p> <p><b>Date and Time reported to the MOECC:</b> 2017/10/15 at 08:36</p> <p><b>Company name (if known) and location of incident:</b> Suncor Sarnia Refinery 1900 River Rd, Sarnia</p> <p><b>What has occurred?</b> Venting CO2 to atmosphere, potential noise has stopped.</p> <p><b>What action is being taken?</b> Venting of CO2 to atmosphere and potential noise has stopped as of 13:45.</p> <p><b>Other agencies involved (if known):</b> none</p> <p><b>Updates expected:</b> No</p>		
Oct 16	9:05 pm	10:40 am	Shell Canada	Sarnia Area Disaster Simulation (SADS)	<p>Simulated code 9 at shell tank fire fully engulfed simulated only <b>(9:05 am)</b></p> <p>This is now upgraded to a simulated code 6 from Curran Ave to Lasalle Rd. This is still part of the SADS exercise. simulated code 9 at shell tank fire fully engulfed simulated only <b>(9:15 am)</b></p>		ANS

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

					<p><b>MOECC Reference Number:</b> 3667-AS7H8W  <b>Date and Time that the incident occurred:</b> 2017/10/16 09:00 to 12:00  <b>Date and Time reported to the MOECC:</b> 2017/10/16 09:00  <b>Company name (if known) and location of incident:</b> Shell Canada Energy, Sarnia Manufacturing Center (refinery), 150 St. Clair Pkwy  <b>What has occurred?</b> Shell Canada is conducting a SIMULATION tank fire with 5 participating Fire Depts.  <b>What action is being taken?</b> No action required  <b>Other agencies involved (if known):</b> 5 CVECO mutual aid Fire Depts.  <b>Updates expected:</b> No <b>(9:20 am)</b></p> <p>XJF737 SHELL IS ISSUING A SIMULATED CODE 91. REQUEST FOR ESSO FOAM TANKER. <b>(9:27 am)</b></p> <p><b>All clear</b> has been issued for the Simulated Code 6, 8, 9, 91 that was issued for Shell at 150 Saint Clair Parkway. Simulation only for the SADS exercise for a fully engulfed tank fire. Code 6 from Curran avenue to Lasalle road <b>(10:40 am)</b></p>		
Oct 17	12:42 am		UNKNOWN	<p>MOECC (SAC) Information Email &gt;&gt;&gt;</p>	<p><b>MOECC Reference Number:</b> 4656-AS85ZD  <b>Date and Time that the incident occurred:</b> 2017/10/16 22:30  <b>Date and Time reported to the MOECC:</b> 2017/10/16 23:23  <b>Company name (if known) and location of incident:</b> Unknown  <b>What has occurred?</b> -odour complaint received  <b>What action is being taken?</b> -MOECC District office is onsite assessing the situation  <b>Updates expected:</b> NO</p>		
Oct 17	8:45 am	10:21 am	Shell Canada	<p>Day 2 SADS Exercise</p> <p>CVECO Information Notice</p>	<p>Code 8 was issued for Shell Canada at 150 Saint Clair Parkway. Spill to St Clair River at south dock location. Product unknown. SIMULATION ONLY <b>(8:45 am)</b></p> <p>Code 8 was issued for Shell Canada at 150 Saint Clair Parkway. spill to St Clair River at south dock location. SIMULATION ONLY - UPDATE Product is ultra low sulfur diesel <b>(8:47 am)</b></p> <p>ALL CLEAR ISSUED for SIMULATION code 8 at Shell Canada <b>(10:21 am)</b></p>		

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

Oct 17	2:25 am			MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 3737-AS8P54</p> <p><b>Date and Time that the incident occurred:</b> 2017/10/17, 11:12</p> <p><b>Date and Time reported to the MOECC:</b> 2017/10/17, 14:00</p> <p><b>Company name (if known) and location of incident:</b> Suncor Refinery, 1900 River Rd. Sarnia</p> <p><b>What has occurred?</b> Increased flaring.</p> <p><b>What action is being taken?</b> The compressor has been depressurized and is starting back up again.</p> <p><b>Other agencies involved (if known):</b> None</p> <p><b>Updates expected:</b> NO</p>		
Oct 17	2:36 pm	8:53 pm	Shell Canada	CVECO Information Notice	Shell Canada at 150 Saint Clair Parkway issued an information only for sour water stripper start up, short periods of flare.		ANS
Oct 17	3:02 pm	10:31 am Oct 23	Suncor	CVECO Information Notice	Suncor at 1900 Saint Clair Parkway issuing an information only for unit upset. Possible high flaring and loud noise.		
Oct 17	3:13 pm		Suncor	Email from K. McCaig, Suncor	<p>This is a message from the Suncor Sarnia Refinery on Tuesday, October 17, 2017 at 3:00 pm.</p> <p>At approximately 11:12 am on October 17, 2017 the Suncor Sarnia refinery experienced a change in unit conditions resulting in a period of visible flaring. From Tuesday afternoon until Wednesday evening you may notice intermittent periods of visible flaring as well as a possible increase in noise levels. As always, we will make every effort to minimize the need for flaring. This activity has been communicated to the Ministry of the Environment and Climate Change and CVECO. If you have any questions or concerns please let me know.</p> <p>Thanks Kelly A. McCaig EHS Training Specialist</p>		FB
Oct 18	8:27 am	4:13 pm	Suncor	CVECO Information Notice	Suncor Energy advised that this morning to afternoon they are conducting on site fire training. May see movement of fire trucks and related equipment as well as use of high pressure fire water.		
Oct 18	4:38 pm		Arlanxeo	ARL Information System	Information Only. Due to maintenance activities, there is a possibility of increased flaring, noise, and smoke at the ARLANXEO Vidal Street Site on Thursday October 19 between 06:00 and 19:00. All efforts will be made to minimize the potential for smoke and off-site noise impacts.		



## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

Oct 19	8:18 am	4:37 pm	Arlanxeo	CVECO Information Notice	ARLANXEO ISSUING INFORMATION ONLY FOR INCREASED FLARING POSSIBLY DUE TO MAINTENANCE WORK AT THE ARLANXEO OLEFINS UNIT WEST OF VIDAL STREET STARTING THIS MORNING UNTIL APPROXIMATELY 6PM TONIGHT		
Oct 20	11:24 am	4:15 pm	Suncor	CVECO Information Notice	Suncor xjf738 information for fire training		
Oct 20	11:57 am	3:58 pm	Enbridge	CVECO Information Notice	Enbridge vco420 information for routine maintenance. Possible petroleum odours		
Oct 20	8:49 pm		Unknown	MOECC (SAC) Information Email >>>	<p><b>MOECC Reference Number:</b> 8842-ASC2BN</p> <p><b>Date and Time that the incident occurred:</b> 10/20/2017 - 19:00</p> <p><b>Date and Time reported to the MOECC:</b> 10/20/2017 - 20:15</p> <p><b>Company name (if known) and location of incident:</b> Unknown</p> <p><b>What has occurred?</b> SAC has received an odour complaint</p> <p><b>What action is being taken?</b> The MOECC is sending a priority field response to verify the odour complaint</p> <p><b>Other agencies involved (if known):</b> No</p> <p><b>Updates expected:</b> No</p>		
Oct 20	10:30	2:52 am Oct 21	CF Industries	CVECO Information Notice	Information issued for CF industries for high flare and loud noise due to unit start up.		
Oct 23	11:36 am	11:46 am	Arlanxeo	ARL Information System	Arlanxeo at 1265 Vidal street south issuing an information for a fire alarm at the Biox unit		
Oct 23	11:56 am	4:18 pm	Suncor	CVECO Information Notice	Suncor at 1900 st clair parkway issuing an information for onsite fire training with the use of fire equipment. expected to be completed by 16:00 today.		
Oct 24	8:31 am	4:10 pm	Suncor	CVECO Information Notice	Suncor at 1900 St Clair parkway issuing an information for fire training today. This will involve the use of on site fire equipment. Expected to be completed by 16:00 today.		
Oct 25	7:16 pm	8:40 pm	Suncor	CVECO Information Notice	Suncor issued an information notice for detected smoldering material in Plant 1		
Oct 25	7:37 pm		Suncor	Email from J. Johnson	<p>The Suncor Sarnia refinery is currently investigating the presence of smoke in one of its units. The unit is currently shutdown and non-operational as part of the planned maintenance turnaround.</p> <p>Out of an abundance of caution, we provided this information to CVECO members but we also</p>		

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

					wanted to assure our stakeholders that there is no active fire nor hazard to the public. This information has also been recorded to the CAER Industry Update Line.		
Oct 25	8:32 pm		Suncor	Email from J. Johnson	At approximately 8pm tonight (Oct 25), the Suncor Sarnia refinery experienced a minor trip in one of its units resulting in a period of visible flaring. As always, we are working hard to we minimize the need for flaring. This activity has been communicated to the Ministry of the Environment and Climate Change and CVECO.		
Oct 25	8:40 pm		Suncor	MOECC (SAC) Information Email>>>	<b>MOECC Reference Number:</b> 7736-ASH2BT <b>Date and Time that the incident occurred:</b> 2017/10/25 @ 20:00hrs <b>Date and Time reported to the MOECC:</b> 2017/10/25 @ 20:15hrs <b>Company name (if known) and location of incident:</b> Suncor Refinery, 1900 River Road <b>What has occurred?</b> Flaring <b>What action is being taken?</b> Investigating <b>Other agencies involved (if known):</b> n/a <b>Updates expected:</b> No		
Oct 25	8:46 pm	7:23 pm Oct 28	Suncor	CVECO Information Notice	Suncor advised of increased flaring and noise due to equipment shut down		
Oct 26	10:19 am	6:06 pm	Suncor	CVECO Information Notice	ON SITE FIRE TRAINING AT SUNCOR SARNIA REFINERY TODAY. AS A RESULT, YOU MAY NOTICE THE MOVEMENT OF TRUCKS AND RELATED EQUIPMENT AS WELL AS THE USE OF HIGH PRESSURE FIRE WATER. THIS ACTIVITY IS ALL PART OF OUR NORMAL TRAINING EXERCISES. TRAINING WILL BE COMPLETED BY 4PM		
Oct 28	11:08 am	11:00 am Oct 29	Shell Canada	CVECO Information Notice	Information only issued by Shell Canada - XJF 737, 150 Saint Clair Parkway, Mooretown, for increased flaring and noise due to unit shutdown.		
Oct 28	11:09 am		Shell Canada	MOECC (SAC) Information Email>>>	<b>MOECC Reference Number:</b> 6063-ASKKAE <b>Date and Time that the incident occurred:</b> 2017/10/28 - 10:35 <b>Date and Time reported to the MOECC:</b> 2017/10/28 - 10:43 <b>Company name (if known) and location of incident:</b> Shell Canada - 150 St. Clair Pkwy. <b>What has occurred?</b> Unplanned Unit Shutdown - Potential for more flaring than usual <b>What action is being taken?</b> Unit Shutdown - Investigating the issue <b>Other agencies involved (if known):</b> <b>Updates expected:</b> YES		
Oct 28	11:18 am		Shell Canada	Email from K. Zimmer	There was a process unit shutdown at the Shell refinery in Corunna this morning. As a result, there will be increased flaring and potential for noise as we work to safely restart the unit.		

## Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

Oct 28	4:29 pm		Shell Canada	CVECO Information Notice	UPDATE: Information only issued by Shell Canada - XJF 737, 150 Saint Clair Parkway, Mooretown, updated at 1420 hours for high flaring and loud noise due to unit start up.		
Oct 28	5:09 pm		Shell Canada	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 7783-ASKNY6</p> <p><b>Date and Time that the incident occurred:</b> October 28, 2017 AT 1352 HRS</p> <p><b>Date and Time reported to the MOECC:</b> October 28, 2017 AT 1252 HRS</p> <p><b>Company name (if known) and location of incident:</b> Shell Refinery 150 St. Clair Pkwy.</p> <p><b>What has occurred?</b> Caller reports noise and vibrations coming from Shell. Caller has not received any notifications about any process shutdowns/upsets etc.</p> <p><b>What action is being taken?</b> SAC has paged the ERP and contacted Shell Refinery and the noise and vibrations are likely from an unplanned shutdown.</p> <p><b>Other agencies involved (if known):</b> N/A</p> <p><b>Updates expected:</b> YES</p>		
Oct 28	6:10 pm		Shell Canada	MOECC (SAC) Information Email>>> (Follow-up)	<p><b>MOECC Reference Number:</b> 7783-ASKNY6</p> <p>UPDATE</p> <p><b>Date and Time that the incident occurred:</b> October 28, 2017 AT 1352 HRS</p> <p><b>Date and Time reported to the MOECC:</b> October 28, 2017 AT 1252 HRS</p> <p><b>Company name (if known) and location of incident:</b> Shell Refinery 150 St. Clair Pkwy.</p> <p><b>What has occurred?</b> Caller reports noise and vibrations coming from Shell. Caller has not received any notifications about any process shutdowns/upsets etc.</p> <p><b>What action is being taken?</b> ERP responded to site and has requested noise monitoring at a few locations around the site, every few hours. Flare is burning clean. No odours observed downwind from site.</p> <p><b>Other agencies involved (if known):</b> N/A</p> <p><b>Updates expected:</b> NO</p>		
Oct 29	8:45 am	3:05 pm	NOVA Corunna	CVECO Information Notice	Nova Corunna VCW454 shows intermittent flaring at the ground flare, south of main flare. Smoke may be seen.		
Oct 29	11:19 am		Unknown	MOECC (SAC) Information Email>>>	<p><b>MOECC Reference Number:</b> 6857-ASLJSG</p> <p><b>Date and Time that the incident occurred:</b> SAC received call at 1018h on 10/29/2017.</p> <p><b>Date and Time reported to the MOECC:</b> SAC received call at 1018h on 10/29/2017.</p> <p><b>Company name (if known) and location of incident:</b> Incident location is directly between Shell and Suncor along the St. Clair Pkwy.</p> <p><b>What has occurred?</b> Local residents were fishing at a first nations boat launch and reported to have observed a hydrocarbon sheen 40 ft by 60 ft.</p> <p><b>What action is being taken?</b></p>		

## Notification Report - October 2017


Wilson Plain Jr. – Emergency Management Planner

					<p>SAC contacted Shell and Suncor and requested a response to confirm impacts and to investigate if there was a spill from their facility. Shell has already attended site at the boat launch and reports that there is no evidence of pollution there. They will be sending out a boat to investigate further. Shell rep will be meeting up with Suncor rep to further investigate together.</p> <p>SAC has also paged out the after-hours responder.</p> <p><b>Other agencies involved (if known):</b> n/a  <b>Updates expected:</b> Yes</p>		
Oct 30	4:06 pm	9:05 pm	NOVA Moore	CVECO Information Notice	vcw479 issuing an information at the Nova Moore site for emergency training.		
Oct 31	11:33 am		Imperial Oil	CVECO Information Notice	Imperial Oil Flaring due to unit upset		<b>ANS</b>
Oct 31	12:50 pm		NOVA Chemicals	Email from M. Kreeft	<p>Beginning today, our Moore Site will begin the process of restarting the facility after a scheduled maintenance shutdown. This is estimated to last over the next few days. Our focus is safe and reliable operations at all times, and one of our planning priorities is to minimize potential impacts to our near neighbours and community. As we bring the plant back on-line, periods of elevated flaring and some increased noise are expected. Information updates will be shared via the CAER Industry Update line as required. Please call 1-855-4SARNIA or 1-855-472-7642. The update line is a 24-hour service that features information on industry activity through pre-recorded telephone messages and is available to all area residents.</p> <p>Should you have any further questions, please contact me by email or at 519-402-1577.</p> <p>With thanks,          Meaghan Kreeft   Communications Consultant</p>		<b>FB</b>
Oct 31	2:31 pm		NOVA Chemicals	CVECO Information Notice	Nova Moore issuing information for excessive noise and flaring due to start up		<b>ANS</b>
Oct 31	2:46 pm		Enbridge Pipelines	CVECO Information Notice	Enbridge Pipelines issued information for routine maintenance at 1010 plank road starting at 23:30 October 31,2017		
Oct 31	7:50 pm		Imperial Oil	Email from J. Harding	<p>Imperial Sarnia personnel are responding to an internal operating issue and as a result, there may be visible flaring during the next 24-hour period.</p> <p>Please call Imperial's 24-hour plant operations line at 519 339-5666, or site community affairs at 519 339-4015 if you have any questions.</p>		


# Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner

## Incident Notifications for the Month of October 2017




## Proactive Notifications for the Month of October 2017



# Notification Report - October 2017

Wilson Plain Jr. – Emergency Management Planner



#### **CVECO Assistance Codes:**

**CODE 5-** Incident outside of industry potentially requiring CVECO assistance.

**CODE 6-** Full traffic control requested in designated areas.

**CODE 7-** Bomb threat.

**CODE 8-** Notification by a CVECO member of an internal emergency occurrence. CVECO will take no action under this code.

**Information Notice** - Advice by a member of a non-emergency activity that may cause an inquiry.

**CODE 9-** Request for response by Municipal Fire Department. (Includes **Code 91** and **Code 92**-Specific Fire Equipment)