

AAMJIWNAANG FIRST NATION

# Notification Report

---

April 2020

**Wilson Plain Jr. – Emergency Management Planner**

June 4, 2020

Report of notifications received from local industries, CVECO, Ministry of the Environment, Conservation and Parks (MECP) including Spills Action Centre (SAC) and MyCNN notifications.

## Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

### Incidents/Notifications reported for the month of April 2020.

- 22 notifications were received
- No phone calls, no text messages, 3 emails and 19 CVECO notifications were received
- 3 CVECO 'Codes' were issued. 16 CVECO 'Information Notices' were issued.
- 5 Aamjiwnaang Notifications were sent out (**ANS or FB**)

### Ministry of the Environment, Conservation and Parks (MECP) Information/Update emails received: 15

**Community Inquiries:** No inquiries were received from community members regarding incidents near Aamjiwnaang.

\*\*\* Beginning March 13, 2020, the City of Sarnia Primary Control group began daily teleconferences to discuss the COVID – 19 Pandemic along with local issues that may have arisen. During this time, Chief Plain, Patrick Nahmabin and Wilson Plain Jr. participated in the daily calls. They, and the related emails are not included in this information log sheet due to the overwhelming number that were received.

\*\*\* The Lambton County Emergency Control Group also began daily teleconferences on March 16, 2020 with County Councilors, Chief Administrative Officer and local Community Emergency Management Coordinators. Wilson Plain Jr. attends, representing Aamjiwnaang First Nation. This information is not included in this report due to the overwhelming number that were received.

Date	Time of Issue	Time of All Clear	Company	Type of Notice	Notification Received	Follow -Up (if req'd)	ANS or FB
Apr 1	7:37 am		Shell Canada	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 8800-BN9FCA  <b>Date/Time Incident Occurred:</b> 2020/04/01 – 7:05  <b>Date/Time Incident Reported to MECP:</b> 2020/04/01 – 7:21  <b>Company name (if known):</b> Shell  <b>Location of Incident:</b> 150 St. Clair Parkway, Corunna  <b>Company description of incident and actual/expected duration:</b> process upset – duration unknown  <b>Company description of actual/expected adverse effect:</b> excess flaring  <b>Actions being taken by the facility to respond:</b> remedying the process upset  <b>Agencies/Parties responding:</b> none</p>		
Apr 1	8:52 am	2:06 pm	Shell Canada	Information Notice	XJF737 SHELL ISSUING INFORMATION FOR UNIT UPSET.		
Apr 1	10:41 am		Shell Canada	Email from Bryant Bird, Shell	<p>This message is from Shell Manufacturing Center for Wednesday April 1, 2020 and is for information only. No action is required by the public at this time. At approximately 7:30am this morning we experienced a unit trip at site. As a result, larger than normal flaring and associated increased noise level may be noticeable. This is expected to continue for the next 24-36 hours as we work to return the unit back into service. Please be assured that the flare system is an important process safety device at the refinery, and that occasional flaring is a normal and vital part of keeping the refinery safe during unit restart activities and unplanned operational disruptions. Information only SAC and CVECO codes have be issued as per normal operating procedure.</p>		
Apr 2	9:21 am		Shell Canada	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 1363-BNAGVS  <b>Date/Time Incident Occurred:</b> April 2, 2020 – 06:20  <b>Date/Time Incident Reported to MECP:</b> April 2, 2020 – 08:39  <b>Company name (if known):</b> Shell Canada Products  <b>Location of Incident:</b> 150 St. Clair Pky, Corunna  <b>Company description of incident and actual/expected duration:</b> Odour complaint</p>		

## Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

					<p><b>Company description of actual/expected adverse effect:</b> N/A  <b>Actions being taken by the facility to respond:</b> Investigation is ongoing.  <b>Agencies/Parties responding:</b> N/A</p>		
Apr 2	11:14 am		NOVA Chemicals St Clair	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 0425-BNAJUJ  <b>Date/Time Incident Occurred:</b> 2020/04/01 at 14:00  <b>Date/Time Incident Reported to MECP:</b> 2020/04/02 at 10:22  <b>Company name (if known):</b> presumed Nova Chemicals  <b>Location of Incident:</b> 285 Albert Street, Corunna RR#2  <b>Company description of incident and actual/expected duration:</b> accumulation of small white plastic substance on private residential vehicle  <b>Company description of actual/expected adverse effect:</b> -  <b>Actions being taken by the facility to respond:</b> -  <b>Agencies/Parties responding:</b> MECP Environmental Officer</p>		
Apr 2	12:04 pm		INEOS Styrolution	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 7641-BNAK4B  <b>Date/Time Incident Occurred:</b> 2020/04/02 at 08:30  <b>Date/Time Incident Reported to MECP:</b> 2020/04/02 at 10:34  <b>Company name (if known):</b> INEOS Styrolution Canada Ltd.  <b>Location of Incident:</b> 872 Tashmoo Ave., Sarnia  <b>Company description of incident and actual/expected duration:</b> release of nitrogen gas mixed with some hydrocarbons for 2 minutes  <b>Company description of actual/expected adverse effect:</b> colourless gases to the atmosphere  <b>Actions being taken by the facility to respond:</b> stopped the release after 2 minutes.  <b>Agencies/Parties responding:</b> -</p>		
Apr 2	12:33 pm	6:10 pm	Enbridge Pipelines	Information Notice	<p>ENBRIDGE PIPELINES LOCATED AT 1010 PLANK ROAD IN SARNIA IS ISSUING AN INFORMATION ONLY REGARDING 2 LITRES OF CRUDE OIL THAT WAS DISCOVERED AT THE BASE OF A VALVE, AND IS CONFINED TO A VERY SMALL AREA INSIDE THE FENCE LINE ON ENBRIDGE'S PROPERTY. SPILLS ACTION HAS BEEN NOTIFIED.</p>		
Apr 2	4:01 pm		Shell Canada	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 2681-BNAQWM  <b>Date/Time Incident Occurred:</b> 2020/04/02 – 15:05  <b>Date/Time Incident Reported to MECP:</b> 2020/04/02 – 15:32  <b>Company name (if known):</b> Shell Canada  <b>Location of Incident:</b> 130 St. Clair Parkway. St. Clair Township  <b>Company description of incident and actual/expected duration:</b> Process upset  <b>Company description of actual/expected adverse effect:</b> Possible odours  <b>Actions being taken by the facility to respond:</b> Repairs scheduled for morning of 2020/04/03  <b>Agencies/Parties responding:</b> MECP Spills Action Centre, MECP Sarnia District Office</p>		
Apr 3	6:07 am	12:53 pm Apr 4	Arlanexo	Information Notice	<p>INFORMATION ISSUED FOR ARLANEXO FOR POTENTIAL HIGH FLARING AT 0600 DUE TO UNIT START UP AT OLEFINS UNIT AT 1265 VIDAL STREET.</p>		
Apr 3	12:00 pm		NOVA Chemicals	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 1134-BNBKNS  <b>Date/Time Incident Occurred:</b> 2020/04/03 10:30  <b>Date/Time Incident Reported to MECP:</b> 2020/04/03 11:03  <b>Company name (if known):</b> Nova Chemicals  <b>Location of Incident:</b> Sarnia  <b>Company description of incident and actual/expected duration:</b> fallout  <b>Company description of actual/expected adverse effect:</b> NA  <b>Actions being taken by the facility to respond:</b> sampling  <b>Agencies/Parties responding:</b> Sarnia MECP</p>		

## Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

Apr 6	5:07 pm		Suncor	Email from Jennifer Meharey	Beginning tomorrow, Tuesday, April 7, the Suncor Sarnia refinery will begin the process of safely shutting down a process unit for maintenance. During this time, community members may notice intermittent periods of increased flaring and noise. As always, we will work to minimize the potential for these disruptions. We will be communicating this work to CVECO and the Spills Action Centre tomorrow as well. Please let me know if you have any questions.		
Apr 7	4:49 am	3:29 pm Apr 14	Suncor	Information Notice	XJF738 - Suncor is safely shutting down a process unit for maintenance. High flaring and noise are possible.		
Apr 7	4:54 am		Suncor	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 0136-BNFBWM  <b>Date/Time Incident Occurred:</b> 04/07/2020 @ 06:00  <b>Date/Time Incident Reported to MECP:</b> 04/07/2020 @ 04:25  <b>Company name (if known):</b> Suncor Sarnia Refinery  <b>Location of Incident:</b> 1900 River Road, Sarnia  <b>Company description of incident and actual/expected duration:</b> Planned shutdown due to system maintenance, unknown length/ time  <b>Company description of actual/expected adverse effect:</b> Adverse impacts include increased flaring and noise during the shut down and start up of the plant before/ after maintenance.  <b>Actions being taken by the facility to respond:</b> n/a  <b>Agencies/Parties responding:</b> n/a</p>		
Apr 7	11:31 am	3:59 pm	Enbridge Pipelines	Information Notice	INFORMATION ONLY - VCO420 ENBRIDGE PIPELINES INC. PERFORMING MAINTENANCE WORK AT FACILITY PUBLIC MAY NOTICE SOME PETROLEUM ODOURS BUT NO ACTION REQUIRED. WORK IS EXPECTED TO BE COMPLETE APRIL 7, 2020 @ 16:30		
Apr 8	12:34 am		Air Products	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 7053-BNG6T3  <b>Date/Time Incident Occurred:</b> 07April2020 @ 19:00  <b>Date/Time Incident Reported to MECP:</b> 08April2020 @ 00:03  <b>Company name (if known):</b> Air Products  <b>Location of Incident:</b> 150 St. Clair Parkway, Corunna  <b>Company description of incident and actual/expected duration:</b> Increased flaring, lasting until approx.. 12April2020  <b>Company description of actual/expected adverse effect:</b> n/a  <b>Actions being taken by the facility to respond:</b> monitoring and CVECO information notice provided  <b>Agencies/Parties responding:</b> MECP SAC has been verbally notified and Sarnia MECP will be notified.</p>		
Apr 9	4:57 am	11:11 am Apr 13	Arlanxeo	Information Notice	INFORMATION ONLY ISSUED FOR ARLANXEO XJF740 AT 500 KENNY STREET FOR HIGH FLARE DUE TO UNIT UPSET AT THE BUTYL UNIT.		
Apr 10	5:49 pm	8:51 pm	Imperial	CVECO Code 8	Code 8 was issued for Imperial Oil XJF742 for release to air, no further information has been provided upon second request. <b>UPDATE: 6:16 pm:</b> Update to Code 8 for Imperial Oil, XJF742 - minor hydrocarbon release, internal to site. There is NO offsite impact.		ANS
Apr 10	7:28 pm		Imperial	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 7661-BNJTJB  <b>Date/Time Incident Occurred:</b> 17:20 April 10, 2020  <b>Date/Time Incident Reported to MECP:</b> 17:46 April 10, 2010  <b>Company name (if known):</b> Imperial Oil Sarnia Refinery  <b>Location of Incident:</b> 602 Christina St S., Sarnia  <b>Company description of incident and actual/expected duration:</b> Release of Methane, Ethane, and Propane. Duration unknown at this time.  <b>Company description of actual/expected adverse effect:</b> Not aware of any effects at this time.</p>		FB

## Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

					<p><b>Actions being taken by the facility to respond:</b> Ongoing testing and monitoring, and maintenance to ensure leak is not ongoing.</p> <p><b>Agencies/Parties responding:</b> MECP SAC, MECP Sarnia District Office</p>		
Apr 12	10:11 am	4:23 am Apr 17	Plains Midstream	Information Notice	Plains Midstream xnz861 will be conducting routine maintenance activities with possible odours from venting		
Apr 13	???	12:33 am Apr 13	Air Products	Information Notice	ALL CLEAR ISSUED FOR AIR PRODUCTS CORUNNA, 150 SAINT CLAIR PARKWAY, FLARING DUE TO INTERRUPTION IN CUSTOMER DEMAND.		
Apr 14	2:52 pm		City of Sarnia	Information Notice	<p>The following is a message from My Community Notification Network (MyCNN) :</p> <p>The City of Sarnia has now made the hard decision to include the boat launch located at Sarnia Bay in Centennial Park to the list of outdoor amenity closures, which will be closed as of 10:00 PM on Tuesday, April 14, 2020. Signage will be posted on site to advise community members of the change in status for the boat launch, and specifically to users of the site, throughout the day.</p>		ANS
Apr 14	11:49 pm		Suncor	Information Notice	An information only has been issued by XJF738 - Suncor Refinery, 1900 Saint Clair Parkway, Sarnia, for process unit upset. There is a possibility of increased flaring and noise during this time and an update will follow.		
Apr 15	12:01 pm		Suncor	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 2782-BNP5YH  <b>Date/Time Incident Occurred:</b> 2020/04/14, 22:00  <b>Date/Time Incident Reported to MECP:</b> 2020/04/14, 23:22  <b>Company name (if known):</b> Suncor Energy Refinery  <b>Location of Incident:</b> 1900 River Rd, Sarnia  <b>Company description of incident and actual/expected duration:</b> Process upset experienced at facility.  <b>Company description of actual/expected adverse effect:</b> Possible increased noise and flaring. No emissions.  <b>Actions being taken by the facility to respond:</b> N/A  <b>Agencies/Parties responding:</b> N/A</p>		
Apr 15	6:05 pm		Pembina	Information Notice	INFORMATION ONLY-XJF739- PEMBINA PIPELINES - APRIL 15,2020 @1730 POTENTIAL FOR HIGH FLARING ON EAST SIDE OF HIGHWAY 40 AND NOISE DUE TO PLANNED MAINTENANCE ACTIVITIES		
Apr 16	12:28 am	11:01 am	Arlanxeo	Information Notice	Arlanxeo, XJF740 at 500 Kenny St issuing an information only for high flare due to unit upset at the butyl unit.		
Apr 16	9:44 am		Arlanxeo	Email from Sarah Macklin, Arlanxeo	<p>I am writing to personally inform you that ARLANXEO will be starting our maintenance outage of the Olefins Unit as of Thursday April 16, 2020. The outage is planned for approximately 48 hours, with anticipated start up Saturday April 18, 2020. During this time you may see or experience increased flaring and noise associated with shut down activities. With increased flaring, there is the potential for noise and/or smoke. We will be adding notifications to ECAN, CVECO and the CAER hot line but wanted to reach out to you specifically. If you have any questions or if any concerns arise, please do not hesitate to contact me.</p>		
Apr 16	11:56 am	4:46 pm Apr 20	Arlanxeo	Information Notice	ARLANXEO HAS ISSUED AN INFORMATION ONLY FOR THE BE3 UNIT SHUTDOWN. THEY DO NOT ANTICIPATE HEAVY FLARING, BUT THERE IS THE POSSIBILITY OF INCREASED FLARING.		
Apr 21	12:12 pm	10:59 am Apr 24	Arlanxeo	Information Notice	Arlanxeo at 1265 vidal street south is issuing a cveco information. This is to advise that the Arlanxeo BE3 unit will be starting up on Wednesday April 22 after a		

## Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

					<p>maintenance outage. We do not anticipate heavy flaring, but there is always the possibility of increased flaring associated with the start up activities.</p>		
Apr 22	11:54 pm		Unknown	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 5820-BNX5YU  <b>Date/Time Incident Occurred:</b> April 22, 2020 23:05  <b>Date/Time Incident Reported to MECP:</b> April 22, 2020 23:25  <b>Company name (if known):</b> unknown  <b>Location of Incident:</b> Near major intersection of LaSalle and Vidal, Sarnia  <b>Company description of incident and actual/expected duration:</b> n/a  <b>Company description of actual/expected adverse effect:</b> n/a  <b>Actions being taken by the facility to respond:</b> n/a  <b>Agencies/Parties responding:</b> MECP ERP response to assess odour complaint.</p>		
Apr 24	12:04 pm		Shell Canada	MECP Update Information Email>>>	<p>Update Information E-mail for Aamjiwnaang First Nation – <b>Shell Canada and Five Odour Complaints</b>  <b>MECP Reference Number:</b> 1363-BNAGVS, 4171-BNAPRE, 8633-BNAPK6, 0128-BNAPRJ, 8820-BNBRA6  <b>Date/Time Incident Occurred:</b> April 2, 2020 at approximately 6:30 am and 1:00 pm  <b>Date/Time Incident Reported to MECP:</b> April 2, 2020 at approximately 8:39 am and 2:30 pm  <b>Company name (if known):</b> Shell Canada Products  <b>Location of Incident:</b> 150 St. Clair Pky, Corunna  <b>What Happened?</b>  This update is for five odour complaints on April 2, 2020 with an initial notification to Aamjiwnaang First Nation on April 2, 2020. Shell Canada refinery contacted the ministry's Spills Action Centre to report they had received two odour complaints. The ministry received three odour complaints from residents in the Corunna area. The odour complaints were for a sulphur smell. According to the Clean Air Sarnia and Area air monitoring network website, the winds are light and from the north. One station downwind of Corunna had elevated readings detected for sulphur dioxide and total reduced sulphur compounds. The Aamjiwnaang First Nation air station had an elevated reading of sulphur dioxide. The cause of the odours was due to two unit upsets: one in the morning and the other in the afternoon, at the Shell Canada refinery.  <b>What Actions Were Taken?</b>  Ministry staff contacted the Shell refinery at approximately 9:18 am to gather additional details. The company reviewed their operations and did not find any abnormal conditions. The company reported that their regular air monitoring in the morning did not show any elevated readings of sulphur compounds. The company had staff review their operations and reported back to the ministry. Ministry staff conducted odour checks and air quality monitoring at approximately 11:00 am on April 2, 2020. Ministry staff monitored for volatile organic compounds and sulphur dioxide at four locations in the Corunna area. There were no readings for contaminants. Ministry staff detected a slight sulphur odour in one location out of ten locations checked. Shell staff conducted odour checks in the area in the afternoon of April 2, 2020. The staff detected a slight burnt match odour in one location and observed several back yard fires burning wood.  Ministry staff returned to the area to check for odours and air monitoring at approximately 4:00 pm. Ministry staff detected a slight burning odour at one location. There were no readings on the monitors. Shell provided ministry staff an update at</p>		

## Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

					<p>approximately 4:30 pm and identified two unit upsets. The first occurred at 6:00 am, the second occurred at 1:00 pm. These incidents correspond with the timing of the complaints. The unit upsets have currently been addressed and the facility is operating normally. The ministry followed up with the company on April 3, 2020 for additional information for a root cause analysis report and corrective measures.</p> <p><b>Other Agencies/Parties responding:</b> No other agencies.</p>		
Apr 24	12:05 pm	Unknown	MECP Update Information Email>>>	<p>Update Information E-mail for Aamjiwnaang First Nation – <b>Odour Complaint on Front St.</b>  <b>MECP Reference Number:</b> 4836-BMJT5K  <b>Date/Time Incident Occurred:</b> March 9, 2020 at 5:20 pm  <b>Date/Time Incident Reported to MECP:</b> March 9, 2020 at 5:25 pm  <b>Company name (if known):</b> Unknown  <b>Location of Incident:</b> Front St. N, Sarnia  <b>What Happened?</b>                      This update is for an odour complaint on March 9, 2020 with an initial notification to Aamjiwnaang First Nation on March 9, 2020. A resident of Sarnia called the ministry’s Spills Action Centre to report a heavy hydrocarbon and burnt rubber odour and observed smoke from Imperial Oil’s coker unit. According to the Clean Air Sarnia and Area air monitoring network website, the winds were light to moderate from the south and southwest. The air monitoring station located on Front St. and Christina St. was measuring rising sulphur dioxide levels from 4 pm to 8 pm. The stations were reading in the “good” range. Ministry staff were not able to find a source of the odour.  <b>What Actions Were Taken?</b>                      Ministry staff inspected the area at approximately 7:38 pm. Ministry staff conducted odour checks and monitored for volatile organic compounds and sulphur dioxide using hand held monitors at six locations around the resident’s area and further south near Imperial Oil. Ministry staff did not detect volatile organic compounds and there was one reading of sulphur dioxide downwind of Imperial Oil. Ministry staff also detected a medium strength odour of hydrocarbon and sulphur (burnt match) at the same location. Ministry staff spoke with Imperial Oil staff to gather any details of their operation that may be the source of the odour. Imperial Oil reported no upsets or issues with their operation. Imperial Oil staff conducted odour checks and air monitoring along their fence line and will report to the Spills Action Centre if they detect any odours or contaminants while monitoring. Imperial Oil did not report odours or detections of contaminants to the ministry.  <b>Other Agencies/Parties responding:</b> No other agencies responding.</p>			
Apr 24	12:06 pm	INEOS Styrolution	MECP Update Information Email>>>	<p>Update Information E-mail for Aamjiwnaang First Nation – <b>Release of Nitrogen Gas Mixed with Benzene from a Rail Car</b>  <b>MECP Reference Number:</b> 7641-BNAK4B  <b>Date/Time Incident Occurred:</b> April 2, 2020 at 8:30 am  <b>Date/Time Incident Reported to MECP:</b> April 2, 2020 at 10:34 am  <b>Company name (if known):</b> INEOS Styrolution Canada Ltd.  <b>Location of Incident:</b> 872 Tashmoo Ave., Sarnia  <b>What Happened?</b>                      This update is for a spill reported on April 2, 2020 with an initial notification to Aamjiwnaang First Nation on April 2, 2020. The company called the ministry’s Spills Action Centre to report a release of nitrogen gas mixed with approximately 2.8 kg benzene from a rail car for approximately two minutes. There was no spill to the ground. According to the Clean Air and</p>			

## Notification Report -April 2020


Wilson Plain Jr. – Emergency Management Planner

					<p>Sarnia Area air monitoring network website, the winds were light and from the northwest at the time of the release and all stations were reading in the “good” range. The cause of the release was due to a safety valve lifting on an pressurized rail car. The valve closed within two minutes.</p> <p><b>What Actions Were Taken?</b> The ministry contacted Aamjiwnaang First Nation and Transport Canada (CANUTEC) of the spill. The company provided more details of the incident on April 3, 2020. Ministry staff followed up with the company to request additional information including the cause of the valve lifting and preventative measures. The report was received on April 22, 2020 and is currently under review by the ministry to determine if additional actions are required.</p> <p><b>Other Agencies/Parties responding:</b> No other agencies responded. Transport Canada (CANUTEC) briefed.</p>		
Apr 27	9:44 am	5:27 pm	Plains Midstream	Information Notice	XNZ861 - Plains Midstream will be conducting routine maintenance activities that may cause odours due to venting.		
Apr 27	1:31 pm	Code 9 2:42 pm Code 8 4:33 pm	Arlanxeo	CVECO Code 8 Code 9	code 8 issued at 500 Kenny Street for leak of isobutylene and isoprene at arlanxio <b>Code 9 issued at 1:34 pm</b>		ANS
Apr 27	3:15 pm		Arlanxeo	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 8688-BP3P75  <b>Date/Time Incident Occurred:</b> 2020/04/27 at 13:21  <b>Date/Time Incident Reported to MECP:</b> 2020/04/27 at 14:03  <b>Company name (if known):</b> Arlanxeo  <b>Location of Incident:</b> 500 Kenny St, Sarnia  <b>Company description of incident and actual/expected duration:</b> vapour leak  <b>Company description of actual/expected adverse effect:</b> unknown  <b>Actions being taken by the facility to respond:</b> isolated the leak, CVECO code 9 issued  <b>Agencies/Parties responding:</b> Sarnia FD</p>		FB
Apr 29	12:09 pm	12:14 am May 14	CF Industries	Information Notice	CF Industries has issued an information only for high flaring and possible noise due to shut down of a section of the Ammonia 2 plant		


# Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner

## Incident Notifications for the Month of April 2020




## Proactive Notifications for the Month of April 2020



# Notification Report -April 2020

Wilson Plain Jr. – Emergency Management Planner



### CVECO Assistance Codes:

**CODE 5-** Incident outside of industry potentially requiring CVECO assistance.

**CODE 6-** Full traffic control requested in designated areas.

**CODE 7-** Bomb threat.

**CODE 8-** Notification by a CVECO member of an internal emergency occurrence.  
(CVECO will take no action under this code)

**Information Notice** - Advice by a member of a non-emergency activity that may cause an inquiry.

**CODE 9-** Request for response by Municipal Fire Department. (Includes **Code 91** and **Code 92**-Specific Fire Equipment)