

AAMJIWNAANG FIRST NATION

# Notification Report

---

August 2020

**Wilson Plain Jr. – Emergency Management Planner**  
September 4, 2020

Report of notifications received from local industries, CVECO, Ministry of the Environment, Conservation and Parks (MECP) including Spills Action Centre (SAC) and MyCNN notifications.

## Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

Incidents/Notifications reported for the month of August 2020.

- 35 notifications were received
- 0 phone calls, 0 text messages, 8 emails and 27 CVECO notifications were received
- 4 CVECO 'Codes' were issued. 23 CVECO 'Information Notices' were issued.
- 15 Aamjiwnaang Notifications were sent out (ANS or FB)

**Ministry of the Environment, Conservation and Parks (MECP) Information/Update emails received: 15**

**Community Inquiries:** No inquiries were received from community members regarding incidents near Aamjiwnaang.

**\*\*\* Beginning July 24, 2020, the City of Sarnia Primary Control group ended the daily including weekend teleconferences to discuss the COVID – 19 Pandemic along with local issues that may have arisen. A smaller City of Sarnia group will meet every Wednesday to discuss issues related to the pandemic. The information from those calls and the related emails are not included in this information log sheet.**

**\*\*\* Beginning Wednesday, July 15, 2020, the Lambton County Emergency Control Group also holds weekly teleconferences with County Councilors, Chief Administrative Officer, Mayors, and local Community Emergency Management Coordinators. Wilson Plain Jr. attends, representing Aamjiwnaang First Nation. This information is not included in this report.**

Date	Time of Issue	Time of All Clear	Company	Type of Notice	Notification Received	Follow-Up (if req'd)	ANS or FB
Aug 1	5:12 am	3:24 pm	Enbridge	Information Notice	Information only issued for Enbridge, VCO420 at 1010 Plank Road. Routine maintenance at facility today until approximately three o'clock this afternoon. Potential for petroleum odours, but no action is required.		
Aug 4	9:11 am	8:33 am Aug 22	Suncor	Information Notice	Suncor XJF738 issuing information for planned maintenance on process unit. Increased flaring and noise		ANS
Aug 4	9:16 am		Suncor	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 8566-BS6H3U  <b>Date/Time Incident Occurred:</b> 08/04/20 09:00  <b>Date/Time Incident Reported to MECP:</b> 08/04/20 08:48  <b>Company name (if known):</b> Suncor Energy Inc.  <b>Location of Incident:</b> 1900 River Road, Sarnia  <b>Company description of incident and actual/expected duration:</b> Planned maintenance for the next two days.  <b>Company description of actual/expected adverse effect:</b> Increased flaring and noise.  <b>Actions being taken by the facility to respond:</b> N/A  <b>Agencies/Parties responding:</b> N/A</p>		FB
Aug 4	9:17 am		Suncor	Email from Jennifer Meharey	I wanted to let you know that the Suncor Sarnia refinery will be conducting maintenance activity. As a result, community members can expect to observe intermittent periods of increased flaring and noise over the next two days. As always, we are working to minimize the need for flaring.		FB
Aug 4	8:40 pm		Unknown	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 0334-BS6V7E  <b>Date/Time Incident Occurred:</b> 08/04/2020-18:45  <b>Date/Time Incident Reported to MECP:</b> 08/04/2020-19:10  <b>Company name (if known):</b> unconfirmed  <b>Location of Incident:</b> Vidal Street South &amp; Andrew Street  <b>Company description of incident and actual/expected duration:</b> n/a (unconfirmed resident complaint)  <b>Company description of actual/expected adverse effect:</b> n/a  <b>Actions being taken by the facility to respond:</b> n/a  <b>Agencies/Parties responding:</b> MECP Sarnia ERP paged</p>		

## Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

Aug 8	3:37 pm	3:51 pm	NOVA Corunna	Information Notice	Information only issued for Nova Corunna at 785 Petrolia Line, VCW454. Information only for emergency, ambulance on site.		
Aug 9	6:27 pm	4:55 pm Aug 13	INEOS Styrolution	Information Notice	BAZ238 - INEOS STYROLUTION IS ISSUING AN INFORMATION ONLY FOR HIGH FLARING.		ANS
Aug 9	8:08 pm		INEOS Styrolution	Email from Michelle Mckay	This message is to advise you that due to a planned equipment maintenance outage you may observe increased flaring at INEOS Styrolution Canada Ltd for approximately one week. No community action is required.		FB
Aug 10	10:16 am	10:40 am	Imperial	Information Notice	IMPERIAL OIL XJF742 MEDICAL ASSIST		
Aug 11	12:28 pm		Imperial	Email from Kristina Zimmer	Following a planned maintenance turnaround, Imperial is restarting equipment at its Sarnia site. As a result, emissions from the boiler stack may be darker than normal beginning today and lasting approximately three days. The Ministry of Environment, Conservation and Parks has been notified. Imperial does not expect emissions from the refinery to exceed government guidelines. Testing during similar past events indicates emissions have not exceeded health related air quality standards during those occurrences. Community members who would like more information can call Imperial's 24-hour number at 519-339-5666. This notification will also be posted to the Imperial Sarnia Facebook page. If you have questions or concerns, please do not hesitate to reach out to me.		FB
Aug 12	12:59 am		Imperial	MECP (SAC) Information Email>>>	<b>MECP Reference Number:</b> 3004-BSE5HS <b>Date/Time Incident Occurred:</b> 08/11/2020-23:45 <b>Date/Time Incident Reported to MECP:</b> 08/12/2020-00:25 <b>Company name (if known):</b> Imperial Oil <b>Location of Incident:</b> 602 Christine Street <b>Company description of incident and actual/expected duration:</b> Two spikes of increased opacity due to start up. <b>Company description of actual/expected adverse effect:</b> Increased opacity under 30 mins <b>Actions being taken by the facility to respond:</b> n/a <b>Agencies/Parties responding:</b> n/a		
Aug 12	5:13 pm		INEOS Styrolution	MECP (SAC) Information Email>>>	<b>MECP Reference Number:</b> 5313-BSEPVS5 <b>Date/Time Incident Occurred:</b> August 12, 2020 at 13:17 <b>Date/Time Incident Reported to MECP:</b> Aug 12, 2020 at 14:38 <b>Company name (if known):</b> INEOS Styrolution <b>Location of Incident:</b> 872 Tashmoo Ave, Sarnia <b>Company description of incident and actual/expected duration:</b> ~ 2 L ethylbenzene spill to cement pad, <b>Company description of actual/expected adverse effect:</b> not expected <b>Actions being taken by the facility to respond:</b> spill cleaned up by site crew <b>Agencies/Parties responding:</b> NA		
Aug 12	9:44 pm	10:01 am Aug 13	Shell Canada	Information Notice	shell Canada xjf737 -- information only planned unit startup		
Aug 13	1:41 am	8:28 am Aug 18	Plains Midstream	Information Notice	Information only issued by XNZ 861 - Plains Midstream, 1182 Plank Road, Sarnia, for complete plant power loss and restart.		
Aug 13	10:40 am	4:10 pm Sept 4	Shell Canada	Information Notice	XJF 737 SHELL ISSUING INFORMATION FOR SHEEN TO TALFOURD CREEK		ANS

## Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

Aug 13	10:52 am		Shell Canada	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 2542-BSFJYB  <b>Date/Time Incident Occurred:</b> August 13, 2020. 09:15  <b>Date/Time Incident Reported to MECP:</b> August 13, 2020. 10:26  <b>Company name (if known):</b> Shell Canada  <b>Location of Incident:</b> 150 St. Clair Parkway, Corruna  <b>Company description of incident and actual/expected duration:</b> Sheen observed in Talfourd Creek.  <b>Company description of actual/expected adverse effect:</b> Sheen in Talfourd Creek.  <b>Actions being taken by the facility to respond:</b> Source of sheen is being investigated. Booms are in place and a vacuum truck is on site to contain the sheen.  <b>Agencies/Parties responding:</b> N/A</p>		<b>FB</b>
Aug 13	1:38 pm		INEOS Styrolution	MECP Update Information Email>>>	<p>Update Information E-mail for Aamjiwnaang First Nation –  <b>Minor Spill of Ethylbenzene – INEOS Styrolution</b>  <b>MECP Reference Number:</b> 5313-BSEPVS  <b>Date/Time Incident Occurred:</b> August 12, 2020 at 1:17 pm  <b>Date/Time Incident Reported to MECP:</b> August 12, 2020 at 2:38 pm  <b>Company name (if known):</b> INEOS Styrolution  <b>Location of Incident:</b> 872 Tashmoo Ave., Sarnia  <b>What Happened?</b>  This update is for a spill of ethylbenzene on August 12, 2020, with an initial notification to Aamjiwnaang First Nation on August 12, 2020. INEOS Styrolution called the ministry's Spills Action Centre to report approximately 2 litres of ethylbenzene to a cement pad on their site during maintenance. The liquid was contained on the company's site and had later evaporated. According to the Clean Air and Sarnia air quality monitoring network at the time of the spill, the winds were very light with reported wind directions ranging from south to southwest, west and southeast. Under calm conditions the wind direction is not reliable. The monitors were reading in the "good" range except for higher levels of ozone at two stations north of INEOS Styrolution.  <b>What Actions Were Taken?</b>  Ministry staff contacted the company and inspected the area at approximately 3:43 pm on August 12, 2020. Ministry staff checked the area for odours and conducted air quality monitoring for volatile organic compounds around the company's property. There were no odours or detections of volatile organic compounds. Ministry staff attended the company's site to gather additional details of the spill. The company reported the spilled material was no longer on the cement pad and there were no ongoing leaks. The company confirmed that during maintenance, company staff were able to stop the spill immediately. The company will be providing additional information to the ministry on the cause of the spill and preventative actions for the future.  <b>Other Agencies/Parties responding:</b> No other agencies.</p>		
Aug 14	3:42 pm	8:33 pm	Imperial	CVECO Code 8	Code 8 was issued for IMPERIAL OIL at 600 S CHRISTINA ST. For a flu gas leak on co boiler		<b>ANS</b>
Aug 14	4:36 pm		Imperial	Email from Kristina Zimmer	Imperial issued a CVECO Code 8 at approximately 3:40 p.m. today. Site personnel have been working this week to safely restart equipment following a planned maintenance turnaround. There was evidence of a small leak on a piece of equipment this afternoon, and personnel are currently troubleshooting the issue. We have conducted air monitoring in the area, and readings are within normal levels. Please let me know if you have questions or concerns.		<b>FB</b>

## Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

Aug 14	4:55 pm	5:22 pm	Imperial	Information Notice	IMPERIAL OIL 602 CHRISTINA ST SARNIA HAVING AMBULANCE ATTEND FOR MEDICAL		
Aug 14	6:20 pm		Imperial	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 6018-BSGTSD  <b>Date/Time Incident Occurred:</b> 2020/08/14  <b>Date/Time Incident Reported to MECP:</b> 17:58  <b>Company name (if known):</b> Imperial Oil  <b>Location of Incident:</b> 602 Christina St S  <b>Company description of incident and actual/expected duration:</b> possible elevated opacity emissions, duration not stated  <b>Company description of actual/expected adverse effect:</b> possible elevated opacity emissions  <b>Actions being taken by the facility to respond:</b> repairs being made  <b>Agencies/Parties responding:</b> Imperial Oil</p>		FB
Aug 14	7:10 pm	7:28 pm	Imperial	Information Notice	information issued at imperial oil 602 Christina street south for a medical assist, non-work related.		
Aug 15	10:55 am		Imperial	Email from Kristina Zimmer	<p>As the Imperial Sarnia site continues to restart following the recent planned maintenance turnaround, emissions from the boiler stack may appear darker than normal for several days. Site personnel continue to work to safely return the site to normal operations. Imperial does not expect emissions from the refinery to exceed government guidelines. Testing conducted during past boiler outages indicates emissions have not exceeded health related air quality standards during those occurrences. We continue to keep the Ministry of Environment, Conservation and Parks updated.  This notification will also be posted to Imperial's Sarnia Facebook page.</p>		FB
Aug 15	2:39 pm		Imperial	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 6018-BSGTSD &amp; 6605-BSHNS2  <b>Date/Time Incident Occurred:</b> 2020/08/14, 18:00  <b>Date/Time Incident Reported to MECP:</b> 2020/08/15 13:42 - 6605-BSHNS2, 2020/08/14 17:58 - 6018-BSGTSD  <b>Company name (if known):</b> Imperial Oil  <b>Location of Incident:</b> 602 Christina St, Sarnia  <b>Company description of incident and actual/expected duration:</b> Public complaint of black smoke from Imperial Oil today 2020/08/15. Imperial Oil reported some equipment function issues on 2020/08/14, 17:58.  <b>Company description of actual/expected adverse effect:</b> Imperial Oil confirms elevated opacity for the next 24 hrs  <b>Actions being taken by the facility to respond:</b> repairs to equipment  <b>Agencies/Parties responding:</b> MECP</p>		
Aug 16	4:24 pm		Suncor	Information Notice	information only xjf738 suncor issued and cleared information for waste water treatment upset due to heavy rainfall overflow on the api separator covers odor possible due to increased water volumes and clean up in waste water treatment plant		
Aug 16	5:29 pm		Suncor	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 1452-BSJF67  <b>Date/Time Incident Occurred:</b> 2020-08-16 at 09:30  <b>Date/Time Incident Reported to MECP:</b> 2020-08-16 at 17:00  <b>Company name (if known):</b> Suncor Energy Inc.  <b>Location of Incident:</b> 1900 River Road, Sarnia  <b>Company description of incident and actual/expected duration:</b> potential odours lasting for next few hours during treatment process  <b>Company description of actual/expected adverse effect:</b> -  <b>Actions being taken by the facility to respond:</b> company is handling process internally  <b>Agencies/Parties responding:</b> -</p>		

## Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

Aug 16	5:45 pm		Suncor	Email from Katie Marshall	Due to increased water volumes in the Suncor Sarnia refinery waste water treatment plant, there was a risk of intermittent odours. Suncor provided notification of this activity to CVECO and the Spills Action Centre. The CVECO information has now been cleared, as no odours have been detected and the water levels are returning back to regular levels.		
Aug 17	7:29 am	10:02 am	Suncor Ethanol	CVECO Code 8	Code 8 was issued for Suncor at 535 Rokeby Line Saint Clair line for a spill of alcohol. 200 proof alcohol leaking within dyke area. No offsite impact and all staff accounted for.		
Aug 17	8:34 am	8:46 am	Imperial	Information Notice	XJF742 IMPERIAL OIL ISSUING INFORMATION ONLY FOR A MEDICAL ASSIST		
Aug 17	3:33 pm	3:52 pm	Imperial	Information Notice	information issued at 602 Christina street south for a medical assist		
Aug 18	9:10 am	9:10 am	Enbridge Pipelines	Information Notice	Information and all clear issued for VCO 420, Enbridge Pipeline Incorporated, at 1010 Plank Road. Oil experienced on the floating roof of tank 214. The volume was approximately 950 Litres. The spills action center was notified. No action is required. Vacuum trucks were used to remove oil and water mixture.		
Aug 19	6:42 am		Imperial	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 7468-BSMDCJ  <b>Date/Time Incident Occurred:</b> August 18, 2020 18:30  <b>Date/Time Incident Reported to MECP:</b> August 19, 2020 05:35  <b>Company name (if known):</b> Imperial Oil  <b>Location of Incident:</b> 602 Christina Street South, Sarnia.  <b>Company description of incident and actual/expected duration:</b> Discharge to atmosphere occurred at 18:30 lasting 4 minutes.  <b>Company description of actual/expected adverse effect:</b> None.  <b>Actions being taken by the facility to respond:</b> N/A  <b>Agencies/Parties responding:</b> N/A</p>		
Aug 19	8:00 am		CF Industries	Information Notice	INFORMATION ONLY ISSUED BY CYA389 - CF INDUSTRIES CF INDUSTRIED NITROGEN COMPLEX OPERATING UNIT A2 IS STARTING UP. LOUD NOISE IS POSSIBLE AT THIS TIME. WIND IS FROM THE NW @ 10 KM/H		
Aug 19	8:45 am	10:34 pm	Plains Midstream	Information Notice	INFORMATION ONLY - ISSUED BY XNZ861 - PLAINS MIDSTREAM. UNIT UPSET - HIGH FLARING		
Aug 19	9:42 am		Plains Midstream	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 4473-BSMHGB  <b>Date/Time Incident Occurred:</b> August 19, 2020 08:30  <b>Date/Time Incident Reported to MECP:</b> August 19, 2020 09:06  <b>Company name (if known):</b> Plains Midstream Canada  <b>Location of Incident:</b> 1182 Plank Road, Sarnia  <b>Company description of incident and actual/expected duration:</b> Lifting of flare occurred for 5 minutes at 08:30.  <b>Company description of actual/expected adverse effect:</b> Increased opacity, black smoke.  <b>Actions being taken by the facility to respond:</b> N/A  <b>Agencies/Parties responding:</b> N/A</p>		<b>FB</b>
Aug 21	3:03 pm		Suncor	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 6300-BSPP5  <b>Date/Time Incident Occurred:</b> Aug 21, 2020 at 14:30  <b>Date/Time Incident Reported to MECP:</b> Aug 21, 2020 at 14:33  <b>Company name (if known):</b> Suncor  <b>Location of Incident:</b> 1900 River Rd, Sarnia  <b>Company description of incident and actual/expected duration:</b> Process upset expected to last a few hours.  <b>Company description of actual/expected adverse effect:</b> Increased flaring / no adverse effects expected.  <b>Actions being taken by the facility to respond:</b> Operators responding to unit to restore normal operations.  <b>Agencies/Parties responding:</b> None</p>		

## Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

Aug 21	3:15 pm	8:41 am Aug 21	Suncor	Information Notice	Suncor issuing information for a shutting down a process unit. periods of increased flaring and noise		
Aug 21	3:27 pm		Suncor	Email from Katie Marshall	The Suncor Sarnia refinery is safely shutting down a process unit. Increased flaring, noise and odour are possible. As always, we will make every effort to minimize the need for flaring. This activity has been communicated to the Spills Action Centre and CVECO. This information has also been recorded on the CAER Industry Information Line.		
Aug 21	4:24 pm		Shell Canada	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 3338-BSPR2W  <b>Date/Time Incident Occurred:</b> 2020/08/21 15:30  <b>Date/Time Incident Reported to MECP:</b> 15:38  <b>Company name (if known):</b> Shell Sarnia  <b>Location of Incident:</b> 130 St. Clair Parkway  <b>Company description of incident and actual/expected duration:</b> intermittent gasoline vapours to atmosphere, expected intermittent until before noon Aug 22.  <b>Company description of actual/expected adverse effect:</b> no anticipated adverse effects  <b>Actions being taken by the facility to respond:</b> called in crew for repairs  <b>Agencies/Parties responding:</b> mechanic crew</p>		
Aug 21	9:36 pm	10:26 pm Aug 22	Plains Midstream	Information Code 8	Code 8 was issued for XNZ 861 - Plains Midstream at 1182 Plank Road, Sarnia, for controlled plant shut down.		
Aug 22	9:41 pm	3:38 am Aug 23	CF Industries	Information Notice	CF industries at 161 Bickford Line issuing an information for the nitrogen complex operating unit - nitric is starting up with winds from the south south east at 6km/h		
Aug 23	7:25 am	7:25 am Aug 26	CF Industries	Information Notice	INFORMATION ONLY - CYA 389 - CF INDUSTRIES CF COURTRIGHT NITROGEN COMPLEX HAS THE A2 UNIT STARTING UP. LOUD NOISE AND HIGH FLARE MAY BE EXPERIENCED. WIND IS FROM THE S/E AT 3 KM/H		
Aug 23	12:49 pm	1:04 pm	NOVA Moore	Information Code 8	Code 8 was issued for VCV479 - Nova Moore Site OVERHEATING ELECTRIC MOTOR IN UTILITIES SMOKING ELECTRIC MOTOR - POSSIBLE FIRE		
Aug 25	4:47 pm	7:22 am Aug 26	CF Industries	Information Notice	CYA389 CF INDUSTRIES ISSUING AN INFORMATION ONLY NITROGEN COMPLEX WILL BE STARTING UP AT THE AREA UNIT POSSIBILITY OF ODOUR WIND FROM THE WEST AT 10 KILOMETERS PER HOUR		
Aug 26	7:55 am	10:33 am	Enbridge Pipelines	Information Notice	Information only issued by VCO420 - Enbridge Pipelines Incorporated for routine maintenance at their 1010 Plank Road, Sarnia facility. Members of the public may notice some petroleum odour, however this is planned work and no action is required. Expected end time for this work is 1400 hours.		
Aug 26	11:59 am		Shell Canada	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 0707-BSUL7N  <b>Date/Time Incident Occurred:</b> Aug 26, 2020 @ 11:15, ongoing  <b>Date/Time Incident Reported to MECP:</b> Aug 26, 2020 @ 11:35  <b>Company name (if known):</b> Shell Canada  <b>Location of Incident:</b> 130 St. Clair Parkway  <b>Company description of incident and actual/expected duration:</b> venting to atmosphere due to mechanical issue, being addressed.  <b>Company description of actual/expected adverse effect:</b> venting ongoing, SAC to be updated when complete.  <b>Actions being taken by the facility to respond:</b> will assess property during incident to ensure no offsite impacts.  <b>Agencies/Parties responding:</b> n/a</p>		

## Notification Report -August 2020


Wilson Plain Jr. – Emergency Management Planner

Aug 27	6:18 pm		Plains Midstream	MECP (SAC) Information Email>>>	<p><b>MECP Reference Number:</b> 1436-BSVSEC</p> <p><b>Date/Time Incident Occurred:</b> August 27, 2020 14:40</p> <p><b>Date/Time Incident Reported to MECP:</b> August 27, 2020 16:48</p> <p><b>Company name (if known):</b> Westcan Bulk Transport</p> <p><b>Location of Incident:</b> Plains Midstream Canada - 1182 Plank Road, Sarnia</p> <p><b>Company description of incident and actual/expected duration:</b> Release of propane from a transport tank, expected duration unknown.</p> <p><b>Company description of actual/expected adverse effect:</b> Release of propane vapour to the atmosphere.</p> <p><b>Actions being taken by the facility to respond:</b> Recovering product to reduce release volume.</p> <p><b>Agencies/Parties responding:</b> MECP ERP</p>		
Aug 30	10:55 pm	3:41 am Aug 31	Imperial	Information Notice	XJF742 IMPERIAL OIL ISSUING AN INFORMATION ONLY FOR INCREASE NOISE FOR UNIT START UP		
Aug 31	9:34 am	9:57 am Sept 9	Imperial	Information Notice	information at Imperial Oil for planned pipeline maintenance on ethane line. 2 ground flares will be in operation at sun junction		<b>ANS</b>
Aug 31	10:04 am		Imperial	Email from Kristina Zimmer	This week, Imperial is conducting pipeline inspection and preventative maintenance work in the area around its Sarnia site. Beginning today, community members may notice the use of two temporary ground flares in the area near Sun Avenue and Vidal Street South, and these will be used intermittently this week. We will make every effort to minimize flaring, and precautionary air monitoring will be conducted.		<b>FB</b>


# Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner

## Incident Notifications for the Month of August 2020




## Proactive Notifications for the Month of August 2020



# Notification Report -August 2020

Wilson Plain Jr. – Emergency Management Planner



### CVECO Assistance Codes:

**CODE 5-** Incident outside of industry potentially requiring CVECO assistance.

**CODE 6-** Full traffic control requested in designated areas.

**CODE 7-** Bomb threat.

**CODE 8-** Information Notice by a CVECO member of an internal emergency occurrence.  
(CVECO will take no action under this code)

**Information Notice** - Advice by a member of a non-emergency activity that may cause an inquiry.

**CODE 9-** Request for response by Municipal Fire Department. (Includes **Code 91** and **Code 92**-Specific Fire Equipment)