

AAMJIWNAANG FIRST NATION

Notification Report

January 2020

Wilson Plain Jr. – Emergency Management Planner

February 4, 2020

Report of notifications received from local industries, CVECO, Ministry of the Environment, Conservation and Parks (MECP) including Spills Action Centre (SAC) and MyCNN notifications.

Notification Report -January 2020

Wilson Plain Jr. – Emergency Management Planner

Incidents/Notifications reported for the month of January 2020.

- 35 notifications were received
- No phone calls, 2 text messages, 3 emails and 21 CVECO notifications were received
- 3 CVECO 'Codes' were issued. 18 CVECO 'Information Notices' were issued.
- 11 Aamjiwnaang Notifications were sent out (**ANS or FB**)

Ministry of the Environment, Conservation and Parks (MECP) Information/Update emails received: 9

Community Inquiries: No inquiries were received from community members regarding incidents near Aamjiwnaang.

Date	Time of Issue	Time of All Clear	Company	Type of Notice	Notification Received	Follow-Up (if req'd)	ANS or FB
Jan 3	12:37 am		Unknown	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 1066-BKGMRG Date/Time Incident Occurred: 11:40 am 01/03/2020 Date/Time Incident Reported to MECP: 11:50 am 01/03/2020 Company name: No identified companies involved at this time. Location of Incident: Lasalle Line and St. Clair Parkway Description of incident: Lingering sour odour reported to SAC Agencies/Parties responding: Local MECP and Spills Action Centre.</p>		
Jan 7	9:26 am		Unknown	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 1123-BKLJ92 Date/Time Incident Occurred: 2020/01/07 AT 08:40 Date/Time Incident Reported to MECP: 2020/01/07 08:51 Company name (if known): Location of Incident: Chippewa Crescent, odour complaint Company description of incident and actual/expected duration: n/a Company description of actual/expected adverse effect: n/a Actions being taken by the facility to respond: n/a Agencies/Parties responding: MECP Sarnia</p>		FB
Jan 7	10:03 am		Unknown	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 5831-BKLJLR Date/Time Incident Occurred: Jan 07 2020 @ 0820h. Date/Time Incident Reported to MECP: Jan 07 2020 @ 0909h. Company name (if known): N/A. Location of Incident: 1900 Virgil Ave. Company description of incident and actual/expected duration: U/K. Company description of actual/expected adverse effect: U/K. Actions being taken by the facility to respond: N/A. Agencies/Parties responding: MECP was notified of an odour complaint in the Sarnia chemical area. Sarnia MECP has been notified and is heading out to source the odour.</p>		FB
Jan 10	9:06 am		Imperial	Email from Kristina Zimmer	<p>I'd like to provide you with advanced notification of an upcoming road closure in the area of the Imperial Sarnia site. Beginning Friday, January 17th at 6:00 p.m., Vidal Street between Kenny and Clifford Streets will be closed to traffic with detours in place. Imperial is constructing an overhead pipe bridge through the weekend, and we expect the road to be reopened by Monday, January 20th at 6:00 a.m. The pipe bridge will enhance the safety and reliability of several product pipelines by relocating these lines above ground. The bridge will look similar to an existing one on Vidal Street just north of Churchill Road. The site has received municipal approvals to carry out this work.</p> <p>We will begin communicating this road closure early next week through several channels including social media and local media outlets.</p>		FB

Notification Report -January 2020

Wilson Plain Jr. – Emergency Management Planner

Jan 10	2:00 pm		Shell Canada	Email from Bryant Bird	<p>As discussed this afternoon in regards to our onsite emergency notification system was hoping you could post the following as we are now in the test phase and want to ensure that people know. This is for information purpose only and no action is required at this time:</p> <p>Here at Shell we are in the process of finalizing the upgrades to our Emergency Notification System covering all of SMC's facilities. Pre-testing of the notification system will begin the week of January 13-24 to ensure that the equipment is operating properly. Based on the results of these preliminary tests, a final more extensive commissioning period will be planned for later in the year to test the various codes and training procedures associated with the new system.</p> <p>The upgrades to the emergency notification system are occurring on site however the alarm tests maybe heard beyond our fence line along with recorded messages. We have spent more than a year planning this event to ensure all work is conducted safely along with ensuring that the impact to you our Neighbours were minimized.</p> <p>We will be updating our activities on the CAER line at 1-855-472-7642. However, if you have any concerns regarding these activities, please feel free to contact the site directly at 519-481-1245.</p>			FB
Jan 11	12:16 am	2:23 am	Shell Canada	CVECO Information	Information only issued for XJF 737 - Shell Canada, 150 Saint Clair Parkway, Mooretown, for sulfur recovery unit tripped. High flaring is expected.			
Jan 11	12:30 am		Shell Canada	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 4643-BKQ7UV Date/Time Incident Occurred: 2020/01/10, 23:54 Date/Time Incident Reported to MECP: 2020/01/10, 23:58 Company name (if known): Shell Canada Location of Incident: 150 St. Clair Parkway, Corunna Company description of incident and actual/expected duration: Acid gas flaring due to process upset with no expected duration provided. Company description of actual/expected adverse effect: Increased flaring, odour Actions being taken by the facility to respond: Off-site monitoring Agencies/Parties responding: Shell Canada</p>			
Jan 11	4:26 pm		Courtright Water Treatment	St. Clair County Notification	<p>occurred; 1/11/20, 1554 hours from: Spills Action Centre location: Courtright Waste Water Treatment Plant, Courtright, Ontario overflow of combined sewage/combined water into the St. Clair River. Effluent has been treated. Authority: Michigan State Police</p>			
Jan 12	12:25 am	9:49 am	Shell Canada	CVECO Information	information issued at shell 150 saint Clair parkway for releasing potential off spec water to Telford creek			
Jan 12	11:04 am		Plains Midstream	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 6847-BKRKVA Date/Time Incident Occurred: 2020/01/12 09:30 Date/Time Incident Reported to MECP: 2020/01/12 10:14 Company name (if known): Plains Midstream Canada Location of Incident: 1182 Plank Rd. Sarnia, ON Company description of incident and actual/expected duration: Flooding at facility. Company description of actual/expected adverse effect: Actions being taken by the facility to respond: Monitoring and sampling water levels. Agencies/Parties responding: MECP Spills Action Centre, MECP Sarnia District Office</p>			

Notification Report -January 2020

Wilson Plain Jr. – Emergency Management Planner

Jan 13	4:42 pm		Former Dow Chemical Property	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 1135-BKSSDC</p> <p>Date/Time Incident Occurred: Incident began on 01/11/2020</p> <p>Date/Time Incident Reported to MECP: 15:45 01/13/2020</p> <p>Company name (if known): Dow Chemical (Decommissioned)</p> <p>Location of Incident: 1425 Vidal St S, Sarnia</p> <p>Company description of incident and actual/expected duration: Over the weekend there was a leak within their stormwater retention system, resulting in a discharge of stormwater to the St. Clair River.</p> <p>Company description of actual/expected adverse effect: stormwater to St. Clair River</p> <p>Actions being taken by the facility to respond: Over the weekend they worked to fix the leak. Discharge ceased at 08:25 this morning. Samples of the discharge have been taken.</p> <p>Agencies/Parties responding: Local MECP has been notified.</p>		
Jan 14	9:56 am	11:46 am	Plains Midstream	CVECO Information	PLAINS MIDSTREAM XNZ861 ADVISING ROUTINE MAINTENANCE WITH POSSIBLE ODOURS		
Jan 14	11:20 am		Enbridge Pipelines	CVECO Information	Enbridge Pipelines at 1010 Plank Road in Sarnia is issuing an information only for routine maintenance being done. Public may notice petroleum odours during the duration of the work. It is planned work and scheduled to be completed by six o'clock today.		
Jan 14	7:39 pm	9:53 am Jan 20	Arlanxeo	CVECO Information	ARLANXEO IS ISSUING AN INFORMATION ONLY FOR 500 KENNY STREET IN SARNIA, FOR HIGHER THAN NORMAL FLARING AND LOUD NOISE AT THE BUTYL UNIT, DUE TO COMPRESSOR MAINTENANCE.		ANS
Jan 15	8:33 am		Arlanxeo	Information Notice	Arlanxeo will be commissioning equipment at the butyl facility on Jan. 15. During this time, there is expected to be intermittent flaring. Work should be completed within 24 hours.		ANS
Jan 15	7:02 pm	5:30 am Jan 16	CF Industries	CVECO Information	c f industries issuing an information for shut down of nitric acid unit with the slight chance of a smokey stack and loud noise		
Jan 16	7:21 am	3:28 pm	Enbridge Pipelines	CVECO Information	Information only issued by VCO - Enbridge Pipelines, 1010 Plank Road, Sarnia, for routine maintenance. Petroleum odours may be noticed by the public during the duration of the work. Work is scheduled to conclude today at 1500 hours.		
Jan 17	12:07 am	3:24 am	CF Industries	CVECO Information	CF INDUSTRIES WILL BE STARTING UP THE THE NITRIC ACID UNIT. MAY EXPERIENCE SMOKEY STACK AND POSSIBLE DISCHARGED TO AIR		
Jan 17	9:03 am		Imperial	Email from Kristina Zimmer	Community Notification: Vidal Street in the area of Imperial between Clifford and Kenny Streets will be closed beginning Friday, January 17 at 6:00 p.m. and expected to reopen by Monday, January 20 by 6:00 a.m. for installation of a pipe bridge and relocation of lines. There will be detours in place.		ANS FB
Jan 18	10:42 pm	11:19 pm	Shell Canada	CVECO Code 8	Code 8 was issued for X J F 7 3 7, Shell at 150 Saint Clair Parkway, Mooretown. Sulphur Trip and Acid Flaring.		
Jan 18	10:48 pm		Shell Canada	MECP (SAC) Information Email>>>	<p>MECP Reference Number: 0830-BKY5U4</p> <p>Date/Time Incident Occurred: 22:00</p> <p>Date/Time Incident Reported to MECP: 22:15</p> <p>Company name (if known): Shell Canada Energy</p> <p>Location of Incident: 150 St. Clair Pky,</p> <p>Company description of incident and actual/expected duration: Higher than normal flaring; Duration – unknown</p> <p>Company description of actual/expected adverse effect:</p> <p>Actions being taken by the facility to respond: Air monitoring</p> <p>Agencies/Parties responding: MECP Sarnia; SAC</p>		

Notification Report -January 2020

Wilson Plain Jr. – Emergency Management Planner

Jan 18	11:41 pm	11:54 pm	Shell Canada	CVECO Information	Information issued for X J F 7 3 7 at 150 Saint Clair Parkway for Sulphur Trip and Acid Gas Flaring		
Jan 20	2:09 pm	6:46 pm	CF Industries	CVECO Information	CF INDUSTRIES AT 161 BICKFORD LINE ISSUING INFORMATION ONLY THEY WILL BE SHUTTING DOWN THE NITRIC ACID UNIT. POSSIBILITY OF DISCHARGE TO AIR. WIND FROM THE NORTH WEST AT 18 KM PER HOUR		
Jan 20	7:17 pm	5:54 am Jan 21	CF Industries	CVECO Information	Information issued for C Y A 3 8 9, C F Industries at 161 Bickford Line. Nitrogen Complex will have the nitric unit starting up, there may be discharge to the air during this time.		
Jan 21	12:50 am	9:32 pm	CF Industries	CVECO Information	Information issued for CF Industries C Y A 3 8 9 at 161 Bickford Line for Nitrogen complex has the A2 unit experiencing venting and high flaring due to maintenance.		
Jan 21	11:41 am	11:46 am	Shell Canada	CVECO Code 8	Code 8 was issued for XJF 737 Shell Canada. SRU unit trip and possible loud flaring. 11:46 am (Update): ALL CLEAR - Down graded to an Information Only - Code 8 was issued for XJF 737 Shell Canada. SRU unit trip and possible loud flaring.		
Jan 21	11:59 am	4:13 pm	Shell Canada	CVECO Information	Shell Canada XJF737 issued an Information Only. Unit trip SRU.		
Jan 21	12:00 pm		Shell Canada	MECP (SAC) Information Email>>>	MECP Reference Number: 4121-BL2M5V Date/Time Incident Occurred: 2020/01/21, 11:05 Date/Time Incident Reported to MECP: 2020/01/21, 11:20 Company name (if known): Shell Canada Location of Incident: 150 St. Clair Parkway, Corunna Company description of incident and actual/expected duration: sulfuric acid gas emission, estimated to last for an hour Company description of actual/expected adverse effect: air emission Actions being taken by the facility to respond: perimeter testing Agencies/Parties responding: n/a		FB
Jan 23	1:08 pm		INEOS Styrolution	MECP (SAC) Information Email>>>	MECP Reference Number: 5017-BL4ME7 Date/Time Incident Occurred: 2020/01/23 10:35 Date/Time Incident Reported to MECP: 2020/01/23 11:32 Company name (if known): INEOS Styrolution Canada Ltd. Location of Incident: 872 Tashmoo Ave. Company description of incident and actual/expected duration: Small amount of styrene spilled to ground Company description of actual/expected adverse effect: No anticipated impacts. Actions being taken by the facility to respond: Spilled material is contained to property. Clean up in process Agencies/Parties responding: N/A		FB
Jan 25	6:47 am	11:57 am	CN Rail	CVECO Code 8	A Code 8 has been issued by CN Rail in the area of Confederation and Modeland Road, Sarnia, for two cars off the track but upright. One car is carrying plastic pellets, the other carrying propane. No leaks, spills or injuries reported. Sarnia Fire attending.		
Jan 27	8:36 am	2:45 pm	Enbridge Pipelines	CVECO Information	ENBRIDGE PIPELINES LOCATED AT 1010 PLANK ROAD IN SARNIA IS ISSUING AN INFORMATION ONLY FOR ROUTINE MAINTENANCE. PETROLEUM ODOURS MAY BE NOTICED DURING THE DURATION OF THE WORK. TO BE CONCLUDED AROUND THREE-THIRTY THIS AFTERNOON.		
Jan 28	9:46 am	2:56 pm	Plains Midstream	CVECO Information	PLAINS MIDSTREAM XNZ861 CONDUCTING MAINTENANCE WITH POSSIBLE ODORS FROM VENTING		ANS

Notification Report -January 2020


Wilson Plain Jr. – Emergency Management Planner

Jan 28	9:24 pm	1:19 pm Jan 30	Plains Midstream	CVECO Information	Plains Midstream at 1182 Plank Road, XNZ861, issuing an information only for routine maintenance on site, with possible odours from venting.		
Jan 30	8:42 am	1:52 pm	Enbridge Pipelines	CVECO Information	Information issued at Enbridge pipeline for routine maintenance. public may notice petroleum odors		


Notification Report -January 2020

Wilson Plain Jr. – Emergency Management Planner

Incident Notifications for the Month of January 2020




Proactive Notifications for the Month of January 2020



Notification Report -January 2020

Wilson Plain Jr. – Emergency Management Planner



CVECO Assistance Codes:

CODE 5- Incident outside of industry potentially requiring CVECO assistance.

CODE 6- Full traffic control requested in designated areas.

CODE 7- Bomb threat.

CODE 8- Notification by a CVECO member of an internal emergency occurrence.
(CVECO will take no action under this code)

Information Notice - Advice by a member of a non-emergency activity that may cause an inquiry.

CODE 9- Request for response by Municipal Fire Department. (Includes **Code 91** and **Code 92**-Specific Fire Equipment)